



CALA

Canadian Association for
Laboratory Accreditation Inc.

CALA Directory of Laboratories

Membership Number: 2789
Laboratory Name: Environmental Analytical Services
Parent Institution: InnoTech Alberta Inc.
Address: Highway 16A and 75th Street Vegreville AB T9C 1T4
Contact: Ms. Candas Martin
Phone: (780) 632-8433
Fax: (780) 632-8620
Email: candas.martin@innotechalberta.ca; julius.pretorius@innotechalberta.ca

Standard: Conforms with requirements of ISO/IEC 17025
Clients Served: All Interested Parties
Revised On: November 7, 2018
Valid To: May 1, 2020

Scope of Accreditation

Air (Inorganic)

Metals - Air [Filter] (056)

AC-021; modified from J.ANAL, AT, SPECTRUM, 11, 385-389 (1996) and SM 3125 B

ICP/MS - DIGESTION

Aluminum
Antimony
Arsenic
Barium
Beryllium
Bismuth
Boron
Cadmium
Calcium
Cerium
Chromium
Cobalt
Copper
Iron
Lanthanum
Lead
Lithium
Magnesium
Manganese
Molybdenum
Neodymium
Nickel
Phosphorus

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Potassium
Praseodymium
Selenium
Silver
Sodium
Strontium
Thallium
Thorium
Tin
Titanium
Uranium
Vanadium
Zinc

Air (Inorganic)

Nitrate and Sulphate - Air [Filter] (021)

AC-026; modified from ASTM D6919-09 and DIONEX APPLICATION NOTE 154

IC - EXTRACTION

Nitrate

Sulfate

Air (Inorganic)

Total Particulates - Air [Filter, Particulate] (038)

AC-029; ACID DEPOSITION PROGRAM AECV93-R8, 1993 PM2.5 PERFORMANCE EVALUATION PROGRAM

LABORATORY SOP, EPA, 1998

GRAVIMETRIC

Particulate Weight

Air (Organic)

Volatile Organic Compounds (VOC) - Air [Ambient] (048)

AC-058; modified from EPA TO-14A and EPA TO-15

CANISTER/TEDLAR GC/MS - PURGE AND TRAP

1-Butene

1-Pentene

1,1-Dichloroethane

1,1-Dichloroethylene

1,1,1-Trichloroethane

1,1,2-Trichloro-1,2,2-Trifluoroethane (CFC113)

1,1,2-Trichloroethane

1,1,2,2-Tetrachloroethane

1,2-Dibromoethane

1,2-Dichlorobenzene

1,2-Dichloroethane

1,2-Dichloropropane

1,2,4-Trichlorobenzene

1,2,4-Trimethylbenzene

1,3-Butadiene

1,3-Dichlorobenzene

1,3,5-Trimethylbenzene

1,4-Dichlorobenzene

2-Butanone (Methyl ethyl ketone, MEK)

2-Methyl-1-pentene

2-Methyl-2-butene

2-Methylheptane

2,2-Dimethylbutane

2,2,4-Trimethylpentane

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

2,3-Dimethylpentane
2,3,4-Trimethylpentane
2,4-Dimethylpentane
3-Methyl-1-butene
3-Methylheptane
3-Methylhexane
3-Methylpentane
4-Ethyltoluene
4-Methyl-1-pentene
8-trans-2-Butene
Acetone
Acrolein (Propenal)
alpha-Pinene
Benzene
beta-Pinene
Bromodichloromethane
Bromoform
Bromomethane
Butane
Carbon disulfide
Carbon tetrachloride
Chlorobenzene
Chloroethane
Chloroform
Chloromethane
cis-1,2-Dichloroethylene
cis-1,3-Dichloropropylene
cis-2-Butene
cis-2-Pentene
Cyclohexane
Cyclopentane
Cyclopentene
Dibromochloromethane
Dichlorodifluoromethane
Ethyl acetate
Ethylbenzene
Freon-11
Freon-113
Freon-12
Heptane
Hexachlorobutadiene
Hexane
Isobutane
Isopentane
Isoprene
Isopropanol
Isopropylbenzene
m,p-Xylene
Methyl isobutyl ketone (MIBK)
Methyl methacrylate
Methyl t-butyl ether (MTBE)
Methylcyclohexane
Methylcyclopentane

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Methylene chloride
n-Octane
n-Propylbenzene
Nonane
o-Xylene
Pentane
Styrene
Tetrachlorethylene
Toluene
trans-1,2-Dichloroethylene
trans-1,3-Dichloropropene
trans-2-Hexene
trans-2-Pentene
Trichlorethylene
Trichlorofluoromethane
Vinyl chloride
Xylene; total

Biological (Inorganic)

Metals - Biological (072)

AC-061; modified from EPA 2052 and EPA 3051A and EPA 6020A

ICP/MS

Aluminum
Antimony
Arsenic
Barium
Beryllium
Bismuth
Boron
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Lithium
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Phosphorus
Potassium
Selenium
Silver
Sodium
Strontium
Thallium
Thorium
Tin
Titanium
Uranium
Vanadium

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Zinc

Solids (Inorganic)

Mercury - Solids [Sediment] (071)

AC-063; modified from EPA 1631E

COLD VAPOUR ATOMIC FLUORESCENCE SPECTROPHOTOMETRY

Mercury

Solids (Inorganic)

Metals - Solids [Soil] (046)

AC-060; modified from EPA 3051A and EPA 3052 and EPA 6020A and SM 3125 B

ICP/MS - DIGESTION

Aluminum

Antimony

Arsenic

Barium

Beryllium

Boron

Cadmium

Chromium

Cobalt

Copper

Iron

Lead

Manganese

Mercury

Nickel

Strontium

Tin

Titanium

Uranium

Vanadium

Zinc

Solids (Organic)

Alkylated Polycyclic Aromatic Hydrocarbons (PAH) - Solids [Sediment, Soil] (082)

; EPA 1625 and EPA 8270

GC/MS

1-Methylnaphthalene

Acenaphthene

Acenaphthylene

Anthracene

Benzo (a) anthracene

Benzo (a) pyrene

Benzo (b) fluoranthene

Benzo (b,i) fluoranthene

Benzo(e)pyrene

Benzo (g,h,i) perylene

Benzo(i)fluoranthene

Benzo (k) fluoranthene

Biphenyl

C1 Benzo(a)pyrene

C1 Biphenyl

C1 Chrysene

C1 Dibenzothiophene

C1 Fluoranthene/pyrene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

C1 Fluorene
C1 Phenanthrene/anthracene
C2 Biphenyl
C2 Chrysene
C2 Dibenzothiophene
C2 Fluoranthene/pyrene
C2 Fluorene
C2 Naphthalene
C2 Phenanthrene/anthracene
C3 Chrysene
C3 Dibenzothiophene
C3 Fluoranthene/pyrene
C3 Fluorene
C3 Naphthalene
C3 Phenanthrene/anthracene
C4 Chrysene
C4 Dibenzothiophene
C4 Fluoranthene/pyrene
C4 Fluorene
C4 Naphthalene
C4 Phenanthrene/anthracene
Chrysene
Dibenzo (a,h) anthracene
Dibenzothiophene
Fluoranthene
Fluorene
Indeno (1,2,3 - cd) pyrene
Naphthalene
Perylene
Phenanthrene
Pyrene
Retene

Tissue (Inorganic)

Mercury - Tissue (073)

AC-064; modified from EPA 1631E

COLD VAPOUR ATOMIC FLUORESCENCE SPECTROPHOTOMETRY

Mercury

Water (Inorganic)

Alkalinity - Water (001)

AC-054; modified from SM 2320 B

TITRIMETRIC

Alkalinity (pH 4.5)

Water (Inorganic)

Anions - Water [Precipitation] (045)

AC-026; DIONEX APPLICATION NOTE 154

ION CHROMATOGRAPHY

Bromide

Chloride

Fluoride

Nitrate

Nitrite

Phosphate

Sulfate

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Water (Inorganic)

Biochemical Oxygen Demand (BOD) - Water (014)

AC-003; modified from SM 5210 B

D.O. METER

BOD (5 day)

Water (Inorganic)

Cations - Water [Precipitation] (052)

AC-026; modified from ASTM D6919-09

ION CHROMATOGRAPHY

Ammonia

Calcium

Magnesium

Potassium

Sodium

Water (Inorganic)

Chlorophyll Phytoplankton - Water (065)

AC-020; modified from SM 10200 H

EXTRACTION - FLUORIMETRY

Chlorophyll

Water (Inorganic)

Conductivity - Water (003)

AC-048; modified from SM 2510 B

CONDUCTIVITY METER

Conductivity (25°C)

Water (Inorganic)

Dissolved Metals - Water (023)

AC-038; modified from SM 3125 B

ICP/MS

Aluminum

Antimony

Arsenic

Barium

Beryllium

Bismuth

Boron

Cadmium

Calcium

Chromium

Cobalt

Copper

Iron

Lead

Lithium

Magnesium

Manganese

Molybdenum

Nickel

Phosphorus

Potassium

Selenium

Silver

Sodium

Strontium

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Thallium
Thorium
Tin
Titanium
Uranium
Vanadium
Zinc

Water (Inorganic)

Dissolved Reactive Silica - Water (008)
AC-050; modified from LACHAT 10-114-27-I-A
AUTO COLOR
Reactive Silica

Water (Inorganic)

Extractable Metals - Water (024)
AC-038; modified from SM 3125 B
ICP/MS
Aluminum
Antimony
Arsenic
Barium
Beryllium
Bismuth
Boron
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Lithium
Magnesium
Manganese
Mercury
Molybdenum
Nickel
Selenium
Silver
Strontium
Thorium
Tin
Titanium
Uranium
Vanadium
Zinc

Water (Inorganic)

Mercury - Water (054)
AC-013; modified from EPA 1631
COLD VAPOUR ATOMIC FLUORESCENCE - DIGESTION
Mercury

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Water (Inorganic)

pH - Water (016)

AC-049; modified from SM 4500-H+ B

pH METER

pH

Water (Inorganic)

Solids - Water (013)

AC-016, NA-038; modified from SM 2540 C and SM 2540 D

GRAVIMETRIC

Total Dissolved Solids

Total Suspended Solids

Water (Inorganic)

Total Metals - Water (022)

AC-038; modified from SM 3125 B

ICP/MS

Aluminum

Antimony

Arsenic

Barium

Beryllium

Bismuth

Boron

Cadmium

Calcium

Chromium

Cobalt

Copper

Iron

Lead

Lithium

Magnesium

Manganese

Molybdenum

Nickel

Potassium

Selenium

Silver

Sodium

Strontium

Thallium

Thorium

Tin

Titanium

Total Phosphorus

Uranium

Vanadium

Zinc

Water (Organic)

Glyphosate - Water (032)

AC-035; IN-HOUSE

GC/MS

AMPA

Glufosinate

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Glyphosate

Water (Organic)

Naphthenic Acids - Water (076)

AC-065; IN-hOUSE

LC/HRMS

Naphthenic Acids

Water (Organic)

Pesticides - Water (078)

AC-074; EPA 527

GC/MS/MS

2,4-DB

2,4-Dichlorophenol

2,4-Dichlorophenoxyacetic acid

2,4-DP

4-Chloro-2-methyphenol

A -BHC

Aldrin

Atrazine

Azinphos-methyl

Carbathiin

Chlorothalonil

Chlorpyrifos (ethyl)

Clodinafop acid MET.

Clodinafop-propargyl

Clopyralid

Cyanazine

Deltamethrin

Desethyl atrazine

Desisopropyl atrazine

Diazinon

Dicamba

Diclofop-methyl (as free acid)

Dieldrin

Disulfoton

Endosulfan I

Eptam (EPTC)

Ethalfuralin

Ethion

Ethofumesate

Fenoxaprop-P-ethyl

Fluazifop

Fluroxypyr

Guthion

Hexaconazole

Iprodione

Lambda-Cyhalothrin

Lindane (gamma-BHC)

Malathion

MCPA

MCPB

MCPP

Metaxyl-M

Metolachlor

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Metribuzin
Napropamide
Oxycarboxin
p,p' Methoxychlor
Parathion (ethyl)
Permethrin
Phorate
Picloram
Propiconazole
Pyridaben
Quinclorac
Quizalofop
Simazine
Terbufos
Triallate
Triclopyr
Trifluralin
Vinclozolin

Water (Organic)

Pesticides - Water (079)

AC-074; EPA 527

LC-MS/MS

3-Hydroxycarbofuran

Aldicarb

Aminocarb

Aminopryalid

Azoxystrobin

Benomyl

Bentazon

Bromoxynil

Carbaryl

Carbofuran

Clothianidin

Difenoconazole

Dimethoate

Diuron

Imazamethabenz-methyl

Imazamox

Imazethapyr

Imidacloprid

Linuron

Metconazol

Monuron

Picoxystrobin

Prothioconazole

Pyraclostrobin

Tebuconazole

Thiamethoxam

Trifloxystrobin

Triticonazole

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Water (Organic)

Petroleum Hydrocarbons (PHC) - Water (080)

NA-006; modified from CCME CWS PETROLEUM HYDROCARBONS IN SOIL - TIER 1 METHOD and EPA 624 GC/MS - PURGE AND TRAP

F1: C6-C10

Water (Organic)

Petroleum Hydrocarbons (PHC) - Water (081)

NA-006; modified from CCME CWS PETROLEUM HYDROCARBONS IN SOIL - TIER 1 METHOD and EPA 624 GC/FID - EXTRACTION

F2: C10-C16

F3: C16-C34

F4: C34-C50

Water (Organic)

Pharmaceuticals and Personal Care Products (PPCP) - Water (053)

AC-025; modified from EPA 515.1

GC/MS - EXTRACTION

Acetylsalicylic acid

Bezafibrate

Caffeine

Carbamazepine

Clofibric acid

Diclofenac

Fenoprofen

Gemfibrozol

Ibuprofen

Indomethacin

Ketoprofen

Naproxen

Salicylic acid

Tolfenamic acid

Water (Organic)

Polycyclic Aromatic Hydrocarbons (PAH) - Water (075)

NA-016; modified from EPA 3510C (PREPARATION) and EPA 8270D (ANALYSIS)

GC/MS - EXTRACTION

1-Methylnaphthalene

2-Methylnaphthalene

3-Methylcholanthrene

7,12-Dimethylbenz(a)anthracene

Acenaphthene

Acenaphthylene

Acridine

Anthracene

Benzo(a)anthracene

Benzo(a)pyrene

Benzo(b,i,k)fluoranthene

Benzo(c)phenanthrene

Benzo(e)pyrene

Benzo(g,h,i)perylene

Chrysene

Dibenzo(a,h)anthracene

Dibenzo(a,h)pyrene

Dibenzo(a,i)pyrene

Dibenzo(a,i)pyrene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Fluoranthene
Fluorene
Indeno(1,2,3-cd)pyrene
Naphthalene
Perylene
Phenanthrene
Pyrene
Retene

Water (Organic)

Polycyclic Aromatic Hydrocarbons (PAH) and Alkylated Polycyclic Aromatic Hydrocarbons (PAH) - Water (074)
NA-001; modified from EPA 3510C (PREPARATION) and EPA 8270D (ANALYSIS)

GC/MS - EXTRACTION

1-Methylnaphthalene
2-Methylnaphthalene
Acenaphthene
Acenaphthylene
Anthracene
Benzo(a)anthracene
Benzo(a)pyrene
Benzo(b,i,k)fluoranthene
Benzo(e)pyrene
Benzo(g,h,i)perylene
C1-Chrysenes
C1-Dibenzothiophenes
C1-Fluoranthenes/Pyrenes
C1-Fluorenes
C1-Phenanthrenes/Anthracenes
C2-Chrysenes
C2-Dibenzothiophenes
C2-Fluoranthenes/Pyrenes
C2-Fluorenes
C2-Naphthalenes
C2-Phenanthrenes/Anthracenes
C3-Chrysenes
C3-Dibenzothiophenes
C3-Fluoranthenes/Pyrenes
C3-Fluorenes
C3-Naphthalenes
C3-Phenanthrenes/Anthracenes
C4-Chrysenes
C4-Dibenzothiophenes
C4-Fluoranthenes/Pyrenes
C4-Fluorenes
C4-Naphthalenes
C4-Phenanthrenes/Anthracenes
Chrysene
Dibenzo(a,h)anthracene
Fluoranthene
Fluorene
Indeno(1,2,3-cd)pyrene
Naphthalene
Perylene
Phenanthrene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Pyrene
Retene

Water (Organic)

Polycyclic Aromatic Hydrocarbons (PAH) and Extractable Priority Pollutants (EPP) - Water (033)

AC-055; modified from EPA 625

GC/MS - EXTRACTION

1,2-Diphenylhydrazine
2-Chloronaphthalene
2-Chlorophenol
2-Methyl-4,6-dinitrophenol
2-Nitrophenol
2,3,4,6-tetrachlorophenol
2,4-dichlorophenol
2,4-Dimethylphenol
2,4-Dinitrophenol
2,4-Dinitrotoluene
2,4,6-trichlorophenol
2,6-Dinitrotoluene
4-Bromophenyl phenyl ether
4-Chloro-3-methyl phenol
4-Chlorophenyl phenyl ether
4-Nitrophenol
Acenaphthene
Acenaphthylene
Anthracene
Benzidine
Benzo (a) anthracene
Benzo (a) pyrene
Benzo (b) fluoranthene
Benzo (g,h,i) perylene
Benzo (k) fluoranthene
Bis(2-chloroethoxy)methane
Bis(2-chloroethyl) ether
Bis(2-chloroisopropyl) ether
Bis(2-ethylhexyl) phthalate
Butyl benzyl phthalate
Chrysene
Di-n-butyl phthalate
Di-n-octyl phthalate
Dibenzo (a,h) anthracene
Diethyl phthalate
Dimethyl phthalate
Fluoranthene
Fluorene
Hexachlorobenzene
Hexachlorocyclopentadiene
Hexachloroethane
Indeno (1,2,3 - cd) pyrene
Isophorone
N-Nitrosodi-n-propylamine
N-Nitrosodiphenylamine
Naphthalene
Nitrobenzene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Pentachlorophenol
Phenanthrene
Pyrene

Water (Organic)

Volatile Organic Compounds (VOC) - Water (020)

AC-057; modified from EPA 624

GC/MS - PURGE AND TRAP

1,1-Dichloroethane
1,1-dichloroethylene
1,1-Dichloropropylene
1,1,1-Trichloroethane
1,1,1,2-Tetrachloroethane
1,1,2-Trichloroethane
1,1,2,2-Tetrachloroethane
1,2-Dibromo-3-chloropropane (DBCP)
1,2-dichlorobenzene
1,2-dichloroethane
1,2-Dichloropropane
1,2,3-Trichlorobenzene
1,2,3-Trichloropropane
1,2,4-Trichlorobenzene
1,2,4-Trimethylbenzene
1,3-Dichlorobenzene
1,3-Dichloropropane
1,3,5-Trimethylbenzene
1,4-dichlorobenzene
2-Chloroethoxyethylene
2-Chlorotoluene
2,2-Dichloropropane
4-Chlorotoluene
Benzene
Bromobenzene
Bromodichloromethane
Bromoform
Bromomethane
Carbon Tetrachloride
Chlorobenzene
Chlorodibromomethane
Chloroethane
Chloroform
cis-1,2-Dichloroethylene
cis-1,3-Dichloropropene
Dibromomethane
Dichloromethane
Ethylbenzene
Ethylene Dibromide
Hexachlorobutadiene
Isopropylbenzene
m/p-xylene
n-Butylbenzene
n-Propylbenzene
Naphthalene
o-xylene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

p-Isopropyltoluene
sec-Butylbenzene
Styrene
tert-Butylbenzene
Tetrachloroethylene
Toluene
trans-1,2-Dichloroethylene
trans-1,3-Dichloropropene
Trichloroethylene
Trichlorofluoromethane
Vinyl Chloride

† “OSDWA” indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario “Safe Drinking Water Act” (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html