



CALA

Canadian Association for
Laboratory Accreditation Inc.

CALA Directory of Laboratories

Membership Number: 3035
Laboratory Name: Greater Nanaimo Pollution Control Centre Laboratory
Parent Institution: Regional District of Nanaimo
Address: 4600 Hammond Bay Rd. Nanaimo BC V9T 5A8
Contact: Mr. Ryan Powell
Phone: (250) 758-1157
Fax: (250) 758-8628
Email: rpowell@rdn.bc.ca

Standard: Conforms with requirements of ISO/IEC 17025
Clients Served: All Interested Parties
Revised On: June 16, 2016
Valid To: December 15, 2018

Scope of Accreditation

Water (Inorganic)

Ammonia - Water (003)
WWS-LABMP-13.0; modified from HACH METHOD 10205
COLORIMETRIC
Ammonia

Water (Inorganic)

Carbonaceous Biochemical Oxygen Demand (CBOD) - Water (001)
WWS-LABMP-14-0; modified from SM 5210 B
D.O. METER
CBOD (5 day)

Water (Inorganic)

pH - Water (004)
WWS-LABMP-23.0; modified from SM 4500 B- H+
SELECTIVE ION ELECTRODE
pH

Water (Inorganic)

Total Suspended Solids (TSS) - Water, Wastewater (002)
WWS-LABMP-29-0; SM 2540 D
GRAVIMETRIC
Total Suspended Solids

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html