



# CALA

Canadian Association for  
Laboratory Accreditation Inc.

## CALA Directory of Laboratories

---

**Membership Number:** 3788  
**Laboratory Name:** AGAT Laboratories - Burnaby  
**Parent Institution:** AGAT Laboratories Ltd.  
**Address:** 120 - 8600 Glenlyon Parkway Burnaby BC V5J 0B6  
**Contact:** Mr. Mackenzie Pahl  
**Phone:** (778) 452-4000 736-2065; (403) 689-7237  
**Fax:** (778) 452-4074  
**Email:** pahl@agatlabs.com; vhill@agatlabs.com

---

**Standard:** Conforms with requirements of ISO/IEC 17025  
**Clients Served:** All Interested Parties  
**Revised On:** February 14, 2019  
**Valid To:** August 14, 2021

---

### Scope of Accreditation

#### Air (Organic)

Volatile Organic Compounds (VOC) - Air [Soil Vapour] (001)  
ORG-180-5170; modified from BC MOE LABORATORY MANUAL SECTION H and EPA TO-17  
GC/MS - THERMAL DESORPTION

- 1-Chlorobutane
- 1-Chlorohexane
- 1,1-Dichloroethane
- 1,1-Dichloroethene
- 1,1-Dichloropropene
- 1,1,1-Trichloroethane
- 1,1,1,2-Tetrachloroethane
- 1,1,2-Trichloroethane
- 1,1,2,2-Tetrachloroethane
- 1,2-Dibromo-3-chloropropane (DBCP)
- 1,2-Dibromoethane
- 1,2-Dichlorobenzene
- 1,2-Dichloroethane
- 1,2-Dichloropropane
- 1,2,3-Trichlorobenzene
- 1,2,3-Trichloropropane
- 1,2,4-Trichlorobenzene
- 1,2,4-Trimethylbenzene
- 1,2:3,4-Diepoxybutane
- 1,3-Butadiene
- 1,3-Dichlorobenzene
- 1,3-Dichloropropane
- 1,3,5-Trimethylbenzene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

1,4-Dichlorobenzene  
2-Butanone (Methyl ethyl ketone, MEK)  
2-Chlorotoluene  
2,2-Dichloropropane  
4-Chlorotoluene  
4-Methyl-2-pentanone (MIBK)  
Acetone  
Acetonitrile  
Acrylonitrile  
Allyl chloride  
Benzene  
Benzylchloride  
Bromobenzene  
Bromochloromethane  
Bromodichloromethane  
Bromoform  
Bromomethane  
Carbon disulfide  
Carbon tetrachloride  
Chlorobenzene  
Chloroethane  
Chloroform  
Chloromethane  
cis-1,2-dichloroethene  
cis-1,3-Dichloropropene  
cis-1,4-Dichloro-2-butene  
Dibromochloromethane  
Dibromofluoromethane  
Dibromomethane  
Dichlorodifluoromethane  
Dichloromethane  
Diethyl ether  
Epichlorohydrin  
Ethyl acetate  
Ethyl methacrylate  
Ethylbenzene  
Hexachlorobutadiene  
Hexachloroethane  
Isobutanol  
Isopropylbenzene  
m,p-Xylene  
Methacrylonitrile  
Methyl acrylate  
Methyl methacrylate  
Methyl t-butyl ether (MTBE)  
Methylcyclohexane  
n-Butylbenzene  
n-Decane  
n-Hexane  
n-Propylbenzene  
Naphthalene  
Nitrobenzene  
o-Xylene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

p-Isopropyltoluene  
Pentachloroethane  
Pentafluorobenzene  
Propionitrile  
Pyridine  
sec-Butylbenzene  
Styrene  
tert-Butylbenzene  
Tetrachloroethene  
Toluene  
trans-1,2-Dichloroethylene  
trans-1,3-Dichloropropene  
trans-1,4-Dichloro-2-butene  
Trichloroethene  
Trichlorofluoromethane  
Vinyl chloride  
Volatile Hydrocarbons (VH): C6-C13

**Paint (Inorganic)**

Lead - Paint (072)  
LAB-181-4020, MET-181-6101; modified from EPA 6010 and NIOSH 7105  
ICP/OES - DIGESTION  
Lead

**Solids (Inorganic)**

Acid Base Accounting (ABA) - Solids [Ore, Rock, Sediment, Sludge, Soil, Tailings] (078)  
ARD-181-18003; EPA 600/2-78-054 (1978)  
pH METER  
Paste pH

**Solids (Inorganic)**

Acid Base Accounting (ABA) - Solids [Ore, Rock, Sediment, Sludge, Soil, Tailings] (079)  
ARD-181-18009, INOR-181-6022; modified from MEND REPORT 1.20.1 (2009) and SM 4500-SO4 E  
SPECTROPHOTOMETRIC - DIGESTION  
Sulphate-Sulphur

**Solids (Inorganic)**

Boron (Hot Water Soluble) - Solids [Soil] (048)  
LAB-181-4011, MET-181-6101; BC MOE LABORATORY MANUAL SECTION C and EPA 6010C  
ICP - HOT WATER EXTRACTION  
Boron

**Solids (Inorganic)**

Carbon-Nitrogen-Sulphur Speciation - Solids [Ore, Sediment, Sludge, Soil, Tailings] (080)  
INOR-181-6027; modified from ASTM E1019-11 and ASTM E1915-11  
COMBUSTION - TC  
Total Carbon  
Total Nitrogen  
Total Sulphur

**Solids (Inorganic)**

Chloride - Solids [Saturated Paste] (098)  
LAB-181-4022, INOR-181-6023; BC MOE LABORATORY MANUAL SECTION B  
COLORIMETRIC  
Chloride

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

**Solids (Inorganic)**

Conductivity - Solids [Saturated Paste, Saturated Paste Extract] (095)

LAB-181-4022; BC MOE LABORATORY MANUAL SECTION B

CONDUCTIVITY METER

Conductivity

**Solids (Inorganic)**

Cyanide - Solids [Soil] (058)

LAB-181-4013, INOR-181-6010; modified from EPA 335.3 and EPA 9013A

FLOW CHEMISTRY

Cyanide (SAD)

Cyanide (WAD)

**Solids (Inorganic)**

Fluoride - Solids [Soil] (060)

INOR-181-6002, LAB-181-4014; BC MOE LABORATORY MANUAL SECTION B and SM 4110

ION CHROMATOGRAPHY - 5:1 AQUEOUS EXTRACTION

Fluoride

**Solids (Inorganic)**

Hexavalent Chromium - Solids [Soil] (049)

INOR-181-6029, LAB-181-4016; modified from EPA 3060A and SM 3500-CR B

COLORIMETRIC - EXTRACTION

Hexavalent chromium

**Solids (Inorganic)**

Metals - Solids (007)

LAB-181-4001, MET-181-6102; modified from EPA 1311 (PREPARATION) and EPA 6020A (ANALYSIS)

ICP/MS - TCLP

Antimony

Arsenic

Barium

Beryllium

Boron

Cadmium

Chromium

Cobalt

Copper

Iron

Lead

Mercury

Nickel

Selenium

Silver

Thallium

Uranium

Vanadium

Zinc

Zirconium

**Solids (Inorganic)**

Metals - Solids [Saturated Paste] (097)

LAB-181-4022, INOR-181-6101; BC MOE LABORATORY MANUAL SECTION B

ICP/OES

Calcium

Magnesium

Potassium

Sodium

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

Sulphur

**Solids (Inorganic)**

Metals - Solids [Soil] (005)

LAB-181-4008, MET-181-6102; BC MOE LABORATORY MANUAL, SALM (PREPARATION) and EPA 200.2 (ANALYSIS) and EPA 6020A (ANALYSIS)

ICP/MS - DIGESTION

Antimony

Arsenic

Barium

Beryllium

Bismuth

Boron

Cadmium

Chromium

Cobalt

Copper

Lead

Lithium

Mercury

Molybdenum

Nickel

Selenium

Silver

Thallium

Tin

Tungsten

Uranium

Vanadium

Zinc

Zirconium

**Solids (Inorganic)**

Metals - Solids [Soil] (008)

LAB-181-4008, MET-181-6101; BC MOE LABORATORY MANUAL, SALM (PREPARATION) and EPA 200.2 (ANALYSIS) and EPA 6010C (ANALYSIS)

ICP/OES - DIGESTION

Aluminum

Barium

Calcium

Chromium

Copper

Iron

Magnesium

Manganese

Nickel

Potassium

Sodium

Strontium

Titanium

Vanadium

Zinc

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

**Solids (Inorganic)**

Modified Acid Base Accounting (ABA) - Solids [Ore, Sediment, Sludge, Soil, Tailings] (077)  
ARD-181-18000; MEND PROJECT 1.16.1A (1989)

TITRATION

Neutralization Potential (NP)

**Solids (Inorganic)**

Moisture - Solids [Soil] (009)

INOR-181-6030; ASTM D2974-07A

GRAVIMETRIC

Moisture %

**Solids (Inorganic)**

Oil and Grease - Solids [Soil] (056)

ORG-180-5104; modified from BC MOE LABORATORY MANUAL SECTION D

GRAVIMETRIC - EXTRACTION

Mineral Oil and Grease

Total Oil and Grease

**Solids (Inorganic)**

Percent Saturation - Solids [Saturated Paste] (096)

LAB-181-4022; BC MOE LABORATORY MANUAL SECTION B

GRAVIMETRIC

% Saturation

**Solids (Inorganic)**

pH - Solids [Saturated Paste] (094)

LAB-181-4022; BC MOE LABORATORY MANUAL SECTION B

pH METER

pH

**Solids (Inorganic)**

pH - Solids [Soil] (011)

INOR-181-6031; BC MOE LABORATORY MANUAL SECTION B

METER - EXTRACTION

pH (1:2)

**Solids (Inorganic)**

Total Kjeldahl Nitrogen (TKN) - Solids [Soil] (068)

INOR-181-6034, LAB-181-4017; modified from EPA 351.2

AUTO COLOR

Total Kjeldahl Nitrogen (TKN)

**Solids (Inorganic)**

Waste Oil - Solids (016)

ORG-180-5120; BC MOE LABORATORY MANUAL SECTION D

GRAVIMETRIC - EXTRACTION

Waste Oil Content

**Solids (Microbiology)**

Fecal (Thermotolerant) Coliforms - Solids (070)

MIC-181-7007; SM 9221 E

MULTIPLE TUBE FERMENTATION (MPN)

Fecal (Thermotolerant) Coliforms

**Solids (Microbiology)**

Salmonella - Solids (069)

MIC-181-7008; SM 9260 B

MULTIPLE TUBE TECHNIQUE (MPN)

Salmonella

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

**Solids (Organic)**

BTEX and Volatile Petroleum Hydrocarbons (VPH) and Volatile Hydrocarbons (VH) - Solids [Soil] (012)

ORG-180-5100; modified from BC MOE LABORATORY MANUAL SECTION D

GC/MS/FID - HEADSPACE

Benzene

Ethylbenzene

m/p-xylene

Methyl t-butyl ether

o-xylene

Styrene

Toluene

Volatile Hydrocarbons (VH): C6-C10

**Solids (Organic)**

Extractable Petroleum Hydrocarbons (EPH) - Solids [Soil] (013)

ORG-180-5101; modified from BC MOE LABORATORY MANUAL SECTION D

GC/FID - COLD SHAKE EXTRACTION

EPH C10-C19

EPH C19-C32

**Solids (Organic)**

Leachable Polycyclic Aromatic Hydrocarbons (PAH) - Solids [Soil] (089)

LAB-181-4001; EPA 1311 (PREPARATION)

GC/MS

1-Methylnaphthalene

2-Methylnaphthalene

Acenaphthene

Acenaphthylene

Anthracene

Benzo(a)anthracene

Benzo(a)pyrene

Benzo(b)fluoranthene

Benzo(g,h,i)perylene

Benzo(k)fluoranthene

Chrysene

Dibenzo(a,h)anthracene

Fluoranthene

Fluorene

Indeno(1,2,3-cd)pyrene

Naphthalene

Perylene

Phenanthrene

Pyrene

**Solids (Organic)**

Petroleum Hydrocarbons (PHC) - Solids [Soil] (090)

ORG-180-5100; CCME CWS PETROLEUM HYDROCARBONS IN SOIL - TIER 1 METHOD

GC/MS/FID

F1: C6-C10

**Solids (Organic)**

Petroleum Hydrocarbons (PHC) - Solids [Soil] (091)

ORG-180-5137; CCME CWS PETROLEUM HYDROCARBONS IN SOIL - TIER 1 METHOD

GC/FID

F2: C10-C16

F3: C16-C34

F4: C34-C50

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

**Solids (Organic)**

Polycyclic Aromatic Hydrocarbons (PAH) - Solids [Soil] (014)

ORG-180-5102; modified from BC MOE LABORATORY MANUAL SECTION D

GC/MS - COLD SHAKE EXTRACTION

1-Methylnaphthalene  
2-Methylnaphthalene  
Acenaphthene  
Acenaphthylene  
Acridine  
Anthracene  
Benzo (a) anthracene  
Benzo (a) pyrene  
Benzo (b) fluoranthene  
Benzo (g,h,i) perylene  
Benzo (k) fluoranthene  
Chrysene  
Dibenzo (a,h) anthracene  
Fluoranthene  
Fluorene  
Indeno (1,2,3 - cd) pyrene  
Naphthalene  
Phenanthrene  
Pyrene  
Quinoline

**Solids (Organic)**

Volatile Organic Compounds (VOC) - Solids [Soil] (015)

ORG-180-5103; modified from BC MOE LABORATORY MANUAL SECTION D

GC/MS - PURGE AND TRAP

1,1-Dichloroethane  
1,1-dichloroethylene  
1,1,1-Trichloroethane  
1,1,1,2-Tetrachloroethane  
1,1,2-Trichloroethane  
1,1,2,2-Tetrachloroethane  
1,2-dichlorobenzene  
1,2-dichloroethane  
1,2-Dichloropropane  
1,2,4-Trichlorobenzene  
1,3-Dichlorobenzene  
1,4-dichlorobenzene  
Acetone (2-Propanone)  
Benzene  
Bromodichloromethane  
Bromoform  
Bromomethane  
Carbon Tetrachloride  
Chlorobenzene  
Chlorodibromomethane  
Chloroethane  
Chloroform  
Chloromethane  
cis-1,2-Dichloroethylene  
cis-1,3-Dichloropropene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)



Dichlorodifluoromethane  
Dichloromethane  
Ethylbenzene  
Ethylene Dibromide  
m/p-xylene  
Methyl Ethyl Ketone  
Methyl isobutyl Ketone  
Methyl t-butyl ether  
n-Hexane  
o-xylene  
Styrene  
Tetrachloroethylene  
Toluene  
trans-1,2-Dichloroethylene  
trans-1,3-Dichloropropene  
Trichloroethylene  
Trichlorofluoromethane  
Vinyl chloride  
Volatile Hydrocarbons (VH): C6-C10

**Solids (Organic)**

Volatile Organic Compounds (VOC) - Solids [Soil] (088)

LAB-180-5135; EPA 1311 (PREPARATION)

GC/MS - HEADSPACE

1,1-Dichloroethane  
1,1-Dichloroethylene  
1,1,1-Trichloroethane  
1,1,1,2-Tetrachloroethane  
1,1,2-Trichloroethane  
1,1,2,2-Tetrachloroethane  
1,2-Dichlorobenzene  
1,2-Dichloroethane  
1,2-Dichloropropane  
1,3-Dichlorobenzene  
1,4-Dichlorobenzene  
Benzene  
Bromodichloromethane  
Bromoform  
Carbon disulfide  
Carbon tetrachloride  
Chlorobenzene  
Chloroethane  
Chloroform  
cis-1,2-Dichloroethylene  
cis-1,3-Dichloropropene  
Dibromochloromethane  
Dichloromethane  
Ethylbenzene  
Ethylene dibromide  
m,p-Xylene  
Methyl t-butyl ether (MTBE)  
o-Xylene  
Styrene  
Tetrachloroethylene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

Toluene  
trans-1,2-Dichloroethylene  
trans-1,3-Dichloropropene  
Trichloroethylene  
Trichlorofluoromethane  
Vinyl chloride

**Tissue (Inorganic)**

Metals - Tissue (017)

LAB-181-4007, MET-181-6101; modified from BC MOE LABORATORY MANUAL SECTION C (PREPARATION) and EPA 6010C (ANALYSIS)

ICP/OES - DIGESTION

Calcium  
Magnesium  
Phosphorus  
Potassium  
Sodium

**Tissue (Inorganic)**

Metals - Tissue (062)

LAB-181-4007, MET-181-6102; modified from BC MOE LABORATORY MANUAL SECTION C and EPA 6020A

ICP/MS - DIGESTION

Aluminum  
Antimony  
Arsenic  
Barium  
Beryllium  
Boron  
Cadmium  
Chromium  
Cobalt  
Copper  
Iron  
Lead  
Manganese  
Molybdenum  
Nickel  
Selenium  
Silver  
Thallium  
Vanadium  
Zinc

**Tissue (Inorganic)**

Total Mercury - Tissue (018)

LAB-181-4007, MET-181-6100; modified from EPA 3050B and EPA 7471B

COLD VAPOUR AA - DIGESTION

Mercury

**Water (Inorganic)**

Acidity - Water (071)

INOR-181-6020; modified from SM 2310 B

TITRIMETRIC

Acidity

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

**Water (Inorganic)**

Acidity - Water (084)  
INOR-181-6000; modified from SM 2310 B  
AUTO TITRIMETRIC  
Acidity

**Water (Inorganic)**

Alkalinity - Water (019)  
INOR-181-6000; modified from SM 2320 B  
AUTO TITRIMETRIC  
Alkalinity (pH 4.5)

**Water (Inorganic)**

Ammonia - Water (020)  
INOR-181-6001; modified from SM 4500-NH3 G  
SEGMENTED FLOW  
Ammonia

**Water (Inorganic)**

Anions - Water (021)  
INOR-181-6002; modified from SM 4110 B  
ION CHROMATOGRAPHY  
Bromate  
Bromide  
Chloride  
Fluoride  
Nitrate  
Nitrite  
Sulfate

**Water (Inorganic)**

Biochemical Oxygen Demand (BOD) - Water (041)  
INOR-181-6032; modified from BC MOE LABORATORY MANUAL SECTION D  
D.O. METER  
BOD (5 day)  
CBOD (5 day)

**Water (Inorganic)**

Carbon - Water (022)  
INOR-181-6003; modified from SM 5310 B  
COMBUSTION - IR  
Organic Carbon  
Total Carbon

**Water (Inorganic)**

Chemical Oxygen Demand (COD) - Water (023)  
INOR-181-6004; modified from SM 5220 D  
SPECTROPHOTOMETRIC  
COD

**Water (Inorganic)**

Chlorophyll A - Water (100)  
INOR-181-6025; SM 10200 H  
SPECTROPHOTOMETRIC  
Chlorophyll a

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

**Water (Inorganic)**

Colour - Water (063)

INOR-181-6033; modified from BC MOE LABORATORY MANUAL SECTION B  
SPECTROPHOTOMETRIC (UV-VIS)

Apparent Colour

True Colour

**Water (Inorganic)**

Conductivity - Water (024)

INOR-181-6000; modified from SM 2510 B  
CONDUCTIVITY METER

Conductivity (25°C)

**Water (Inorganic)**

Conductivity - Water (082)

ARD-181-18012; SM 2510 B  
CONDUCTIVITY METER

Conductivity (25°C)

**Water (Inorganic)**

Cyanide - Water (025)

INOR-181-6010; modified from EPA 335.3  
FLOW CHEMISTRY

Cyanide (SAD)

Cyanide (WAD)

**Water (Inorganic)**

Dissolved Mercury - Water (027)

LAB-181-4015, MET-181-6100; modified from EPA 245.7  
COLD VAPOUR AA

Mercury

**Water (Inorganic)**

Dissolved Metals - Water (028)

LAB-181-4015, MET-181-6102; modified from SM 3125 B  
ICP/MS

Aluminum

Antimony

Arsenic

Barium

Beryllium

Bismuth

Boron

Cadmium

Chromium

Cobalt

Copper

Iron

Lead

Lithium

Manganese

Molybdenum

Nickel

Phosphorus

Selenium

Silver

Strontium

Thallium

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

Tin  
Titanium  
Tungsten  
Uranium  
Vanadium  
Zinc  
Zirconium

**Water (Inorganic)**

Dissolved Metals - Water (029)  
LAB-181-4015, MET-181-6101; modified from SM 3120 B  
ICP/OES  
Calcium  
Iron  
Magnesium  
Manganese  
Phosphorus  
Potassium  
Silicon  
Sodium  
Sulphur

**Water (Inorganic)**

Hexavalent Chromium - Water (030)  
INOR-181-6005; modified from SM 3500-CR B  
COLORIMETRIC  
Hexavalent Chromium

**Water (Inorganic)**

Nitrite and Nitrate and Nitrate plus Nitrite - Water (099)  
INOR-181-6026; modified from SM 4500-NO2- B and SM 4500-NO3- F  
COLORIMETRIC  
Nitrate (calculation)  
Nitrate plus Nitrite  
Nitrite

**Water (Inorganic)**

Nitrogen - Water (031)  
INOR-181-6006; modified from SM 4500-N  
COMBUSTION - IR  
Total Dissolved Nitrogen  
Total Nitrogen

**Water (Inorganic)**

Oil and Grease - Water (045)  
ORG-180-5132; modified from BC MOE LABORATORY MANUAL SECTION D  
GRAVIMETRIC - EXTRACTION  
Mineral Oil and Grease  
Total Oil and Grease

**Water (Inorganic)**

Oxidation Reduction Potential (ORP) - Water (083)  
ARD-181-18013; SM 2580 B  
ORP METER  
Oxidation Reduction Potential

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

**Water (Inorganic)**

pH - Water (032)  
INOR-181-6000; modified from SM 4500-H+  
pH METER  
pH

**Water (Inorganic)**

pH - Water (081)  
ARD-181-18011; SM 4500-H+  
pH METER  
pH

**Water (Inorganic)**

Phosphate - Water (066)  
INOR-181-6021; modified from SM 4500-P F  
AUTO COLOR  
Phosphate

**Water (Inorganic)**

Phosphorus - Water (033)  
LAB-181-4015, INOR-181-6011; modified from SM 4500-P B and SM 4500-P F  
AUTO COLOR  
Total Dissolved Inorganic Phosphorus  
Total Dissolved Phosphorus  
Total Inorganic Phosphorus  
Total Phosphorus

**Water (Inorganic)**

Reactive Silica - Water (034)  
INOR-181-6012; modified from SM 4500-SIO2  
AUTO COLOR  
Reactive Silica

**Water (Inorganic)**

Solids - Water (035)  
INOR-181-6007; SM 2540 C and SM 2540 D and SM 2540 E  
GRAVIMETRIC  
Fixed Solids  
Total Dissolved Solids  
Total Suspended Solids  
Volatile Solids  
Volatile Suspended Solids

**Water (Inorganic)**

Sulphide - Water (101)  
INOR-181-6035; modified from SM 4500-S2- D  
COLORIMETRIC  
Sulphide

**Water (Inorganic)**

Tannin and Lignin - Water (075)  
INOR-181-6018; modified from SM 5550 B  
SPECTROPHOTOMETRIC  
Tannin and Lignin

**Water (Inorganic)**

Total Mercury - Water (037)  
MET-181-6100; modified from EPA 245.7  
COLD VAPOUR AA - DIGESTION  
Mercury

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

**Water (Inorganic)**

Total Mercury - Water [Seawater] (061)  
MET-181-6100; modified from EPA 245.7  
COLD VAPOUR AA - DIGESTION  
Mercury

**Water (Inorganic)**

Total Metals - Water (038)  
LAB-181-4009, MET-181-6102; modified from SM 3125 B  
ICP/MS  
Aluminum  
Antimony  
Arsenic  
Barium  
Beryllium  
Bismuth  
Boron  
Cadmium  
Chromium  
Cobalt  
Copper  
Iron  
Lead  
Lithium  
Manganese  
Molybdenum  
Nickel  
Phosphorus  
Selenium  
Silver  
Strontium  
Thallium  
Tin  
Titanium  
Tungsten  
Uranium  
Vanadium  
Zinc  
Zirconium

**Water (Inorganic)**

Total Metals - Water (039)  
LAB-181-4009, MET-181-6101; modified from SM 3120 B  
ICP/OES - DIGESTION  
Aluminum  
Antimony  
Arsenic  
Barium  
Beryllium  
Boron  
Cadmium  
Calcium  
Chromium  
Cobalt  
Copper

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

Iron  
Lead  
Lithium  
Magnesium  
Manganese  
Molybdenum  
Nickel  
Phosphorus  
Potassium  
Selenium  
Silicon  
Silver  
Sodium  
Strontium  
Sulphur  
Tin  
Titanium  
Uranium  
Vanadium  
Zinc

**Water (Inorganic)**

Total Metals - Water [Seawater] (057)  
LAB-181-4009, MET-181-6102; modified from SM 3125 B  
ICP/MS - DIGESTION

Aluminum  
Antimony  
Arsenic  
Barium  
Beryllium  
Bismuth  
Boron  
Cadmium  
Chromium  
Cobalt  
Copper  
Iron  
Lead  
Lithium  
Manganese  
Molybdenum  
Nickel  
Selenium  
Silver  
Strontium  
Thallium  
Tin  
Titanium  
Tungsten  
Uranium  
Vanadium  
Zinc  
Zirconium

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)



**Water (Inorganic)**

Turbidity - Water (040)  
INOR-181-6008; BC MOE LABORATORY MANUAL SECTION B  
TURBIDIMETRIC  
Turbidity

**Water (Microbiology)**

Coliforms - Water (052)  
MIC-181-7004; SM 9223 B  
ENZYME SUBSTRATE (MPN)  
Escherichia coli (E. coli)  
Total Coliforms

**Water (Microbiology)**

Coliforms - Water (065)  
MIC-181-7003; SM 9222 B and SM 9222 G  
MEMBRANE FILTRATION (mENDO)  
Escherichia coli (E. coli)  
Total Coliforms

**Water (Microbiology)**

Fecal (Thermotolerant) Coliforms - Water (053)  
MIC-181-7005; SM 9222 D  
MEMBRANE FILTRATION (mFC)  
Fecal (Thermotolerant) Coliforms

**Water (Microbiology)**

Heterotrophic Plate Count (HPC) - Water (043)  
MIC-181-7002; SM 9215 E  
ENZYME SUBSTRATE  
Heterotrophic Plate Count (HPC)

**Water (Organic)**

BTEX - Water (044)  
ORG-180-5130; modified from EPA 5012A and EPA 8260C  
GC/MS - HEADSPACE  
Benzene  
Ethylbenzene  
m/p-xylene  
Methyl t-butyl ether  
o-xylene  
Styrene  
Toluene

**Water (Organic)**

Extractable Petroleum Hydrocarbons (EPH) - Water (064)  
ORG-180-5134; modified from BC MOE LABORATORY MANUAL SECTION D  
GC/FID - EXTRACTION  
EPH C10-C19  
EPH C19-C32

**Water (Organic)**

Petroleum Hydrocarbons (PHC) - Water (092)  
ORG-180-5130; BC MOE LABORATORY MANUAL and EPA 5021A and EPA 8260C  
GC/MS/FID  
F1: C6-C10

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

**Water (Organic)**

Petroleum Hydrocarbons (PHC) - Water (093)  
ORG-180-5134; BC MOE LABORATORY MANUAL  
GC/FID  
F2: C10-C16  
F3: C16-C34  
F4: C34-C50

**Water (Organic)**

Polycyclic Aromatic Hydrocarbons (PAH) - Water (047)  
ORG-180-5133; modified from BC MOE LABORATORY MANUAL SECTION D  
GC/MS - EXTRACTION  
1-Methylnaphthalene  
2-Methylnaphthalene  
Acenaphthene  
Acenaphthylene  
Acridine  
Anthracene  
Benzo (a) anthracene  
Benzo (a) pyrene  
Benzo (b) fluoranthene  
Benzo (g,h,i) perylene  
Benzo (k) fluoranthene  
Chrysene  
Dibenzo (a,h) anthracene  
Fluoranthene  
Fluorene  
Indeno (1,2,3 - cd) pyrene  
Naphthalene  
Phenanthrene  
Pyrene  
Quinoline

**Water (Organic)**

Volatile Hydrocarbons (VH) - Water (076)  
ORG-180-5130; modified from BC MOE LABORATORY MANUAL SECTION D  
GC/FID - HEADSPACE  
Volatile Hydrocarbons (VH): C6-C10

**Water (Organic)**

Volatile Organic Compounds (VOC) - Water (046)  
ORG-180-5131; modified from BC MOE LABORATORY MANUAL SECTION D  
GC/MS - PURGE AND TRAP  
1,1-Dichloroethane  
1,1-dichloroethylene  
1,1,1-Trichloroethane  
1,1,2-Trichloroethane  
1,1,2,2-Tetrachloroethane  
1,2-dichlorobenzene  
1,2-dichloroethane  
1,2-Dichloropropane  
1,2,4-Trichlorobenzene  
1,3-Dichlorobenzene  
1,4-dichlorobenzene  
Acetone (2-Propanone)  
Benzene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

Bromodichloromethane  
Bromoform  
Bromomethane  
Carbon Tetrachloride  
Chlorobenzene  
Chlorodibromomethane  
Chloroethane  
Chloroform  
Chloromethane  
cis-1,2-Dichloroethylene  
cis-1,3-Dichloropropene  
Dichloromethane  
Ethylbenzene  
Ethylene Dibromide  
m/p-xylene  
Methyl Ethyl Ketone  
Methyl isobutyl Ketone  
Methyl t-butyl ether  
o-xylene  
Styrene  
Tetrachloroethylene  
Toluene  
trans-1,2-Dichloroethylene  
trans-1,3-Dichloropropene  
Trichloroethylene  
Trichlorofluoromethane  
Vinyl Chloride  
Volatile Hydrocarbons (VH): C6-C10

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)