



CALA

Canadian Association for
Laboratory Accreditation Inc.

CALA Directory of Laboratories

Membership Number: 3788
Laboratory Name: AGAT Laboratories - Burnaby
Parent Institution: AGAT Laboratories Ltd.
Address: 120 - 8600 Glenlyon Parkway Burnaby BC V5J 0B6
Contact: Mr. Mackenzie Pahl
Phone: (778) 452-4003; (403) 736-2065; (403) 689-7237
Fax: (778) 452-4074
Email: pahl@agatlabs.com; vhill@agatlabs.com

Standard: Conforms with requirements of ISO/IEC 17025
Clients Served: All Interested Parties
Revised On: March 9, 2017
Valid To: August 25, 2019

Scope of Accreditation

Air (Organic)

Volatile Organic Compounds (VOC) - Soil Vapour (001)
ORG-180-5170; modified from EPA TO-17 and BC MOE LAB MANUAL SECTION H
GC/MS - THERMAL DESORPTION

- 1-Chlorobutane
- 1-Chlorohexane
- 1,1-Dichloroethane
- 1,1-Dichloroethene
- 1,1-Dichloropropene
- 1,1,1-Trichloroethane
- 1,1,1,2-Tetrachloroethane
- 1,1,2-Trichloroethane
- 1,1,2,2-Tetrachloroethane
- 1,2-Dibromo-3-chloropropane
- 1,2-Dibromoethane
- 1,2-Dichlorobenzene
- 1,2-Dichloroethane
- 1,2-Dichloropropane
- 1,2,3-Trichlorobenzene
- 1,2,3-Trichloropropane
- 1,2,4-Trichlorobenzene
- 1,2,4-Trimethylbenzene
- 1,2:3,4-Diepoxybutane
- 1,3-Butadiene
- 1,3-Dichlorobenzene
- 1,3-Dichloropropane
- 1,3,5-Trimethylbenzene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

1,4-Dichlorobenzene
2-Butanone (MEK)
2-Chlorotoluene
2,2-Dichloropropane
4-Chlorotoluene
4-Methyl-2-pentanone (MIBK)
Acetone
Acetonitrile
Acrylonitrile
Allyl chloride
Benzene
Benzylchloride
Bromobenzene
Bromochloromethane
Bromodichloromethane
Bromoform
Bromomethane
Carbon disulfide
Carbon tetrachloride
Chlorobenzene
Chloroethane
Chloroform
Chloromethane
cis-1,2-dichloroethene
cis-1,3-Dichloropropene
cis-1,4-Dichloro-2-butene
Dibromochloromethane
Dibromofluoromethane
Dibromomethane
Dichlorodifluoromethane
Dichloromethane
Diethyl ether
Epichlorohydrin
Ethyl acetate
Ethyl methacrylate
Ethylbenzene
Hexachlorobutadiene
Hexachloroethane
Isobutanol
Isopropylbenzene
m,p-Xylene
Methacrylonitrile
Methyl acrylate
Methyl methacrylate
Methyl t-butyl ether (MTBE)
Methylcyclohexane
n-Butylbenzene
n-Decane
n-Hexane
n-Propylbenzene
Naphthalene
Nitrobenzene
o-Xylene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

p-Isopropyltoluene
Pentachloroethane
Pentafluorobenzene
Propionitrile
Pyridine
sec-Butylbenzene
Styrene
tert-Butylbenzene
Tetrachloroethene
Toluene
trans-1,2-Dichloroethylene
trans-1,3-Dichloropropene
trans-1,4-Dichloro-2-butene
Trichloroethene
Trichlorofluoromethane
Vinyl chloride
Volatile Hydrocarbons (VH): C6-C13

Paint (Inorganic)

Lead - Paint (072)
LAB-181-4020, MET-181-6101; modified from NIOSH 7105 and EPA 6010
ICP/OES - DIGESTION
Lead

Solids (Inorganic)

Acid Base Accounting (ABA) - Soil, Sediment, Sludge, Rock, Tailings, Waste Rock and Ore (078)
ARD-181-18003; SOBEK ET AL. REPORT EPA-600/2-78-054 (1978)
pH METER
Paste pH

Solids (Inorganic)

Acid Base Accounting (ABA) - Soil, Sediment, Sludge, Rock, Tailings, Waste Rock and Ore (079)
ARD-181-18009, INOR-181-6028; modified from MEND REPORT 1.20.1 (2009) and SM 4500-SO4 E
SPECTROPHOTOMETRIC - DIGESTION
Sulphate-Sulphur

Solids (Inorganic)

Boron (Hot Water Soluble) - Soil (048)
LAB-181-4011, MET-181-6101; BC MOE LAB MANUAL SECTION C (BORON, HOT WATER SOLUBLE) and
EPA 6010C
ICP - HOT WATER EXTRACTION
Boron

Solids (Inorganic)

Carbon-Nitrogen-Sulphur Speciation - Soil, Sediment, Sludge, Rock, Tailings, Waste Rock and Ore (080)
INOR-181-6027; modified from ASTM E1915-11 and ASTM E1019-11
COMBUSTION - TC
Total Carbon
Total Nitrogen
Total Sulphur

Solids (Inorganic)

Chloride - Saturated Paste (098)
LAB-181-4022, INOR-181-6023; BC MOE LAB MANUAL SECTION B
COLORIMETRIC
Chloride

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Solids (Inorganic)

Conductivity - Saturated Paste Extract (095)
LAB-181-4022; BC MOE LAB MANUAL SECTION B
CONDUCTIVITY METER
Conductivity

Solids (Inorganic)

Cyanide - Soil (058)
LAB-181-4013, INOR-181-6010; modified from EPA 9013A and EPA 335.3
FLOW CHEMISTRY
Cyanide (SAD)
Cyanide (WAD)

Solids (Inorganic)

Fluoride - Soil (060)
INOR-181-6002, LAB-181-4014; BC MOE LAB MANUAL SECTION B (FLUORIDE IN SOILS BY 5:1 AQUEOUS
EXTRACTION) and SM 4110
ION CHROMATOGRAPHY - 5:1 AQUEOUS EXTRACTION
Fluoride

Solids (Inorganic)

Hexavalent Chromium - Soil (049)
INOR-181-6029, LAB-181-4016; EPA 3060A and modified from SM 3500-CR B
COLORIMETRIC - EXTRACTION
Hexavalent chromium

Solids (Inorganic)

Metals - Saturated Paste (097)
LAB-181-4022, INOR-181-6101; BC MOE LAB MANUAL SECTION B
ICP/OES
Calcium
Magnesium
Potassium
Sodium
Sulphur

Solids (Inorganic)

Metals - Soil (005)
LAB-181-4008, MET-181-6102; BC MOE LAB MANUAL SECTION C (SALM) and EPA 200.2 and EPA 6020A
ICP/MS - DIGESTION
Antimony
Arsenic
Barium
Beryllium
Bismuth
Boron
Cadmium
Chromium
Cobalt
Copper
Lead
Lithium
Mercury
Molybdenum
Nickel
Selenium
Silver
Thallium

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Tin
Tungsten
Uranium
Vanadium
Zinc
Zirconium

Solids (Inorganic)

Metals - Soil (008)

LAB-181-4008, MET-181-6101; BC MOE LAB MANUAL SECTION C (SALM) and EPA 200.2 and EPA 6010C
ICP/OES - DIGESTION

Aluminum
Barium
Calcium
Chromium
Copper
Iron
Magnesium
Manganese
Nickel
Potassium
Sodium
Strontium
Titanium
Vanadium
Zinc

Solids (Inorganic)

Metals - Solids, Leachate (007)

LAB-181-4001, MET-181-6102; EPA 1311 (LEACH) and modified from EPA 6020A (ANALYSIS)
ICP/MS - TCLP

Antimony
Arsenic
Barium
Beryllium
Boron
Cadmium
Chromium
Cobalt
Copper
Iron
Lead
Mercury
Nickel
Selenium
Silver
Thallium
Uranium
Vanadium
Zinc
Zirconium

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Solids (Inorganic)

Modified Acid Base Accounting (ABA) - Soil, Sediment, Sludge, Rock, Tailings, Waste Rock and Ore (077)
ARD-181-18000; MEND PROJECT 1.16.1A (1989)

TITRATION

Neutralization Potential (NP)

Solids (Inorganic)

Moisture - Soil (009)

INOR-181-6030; ASTM D2974-07A

GRAVIMETRIC

Moisture %

Solids (Inorganic)

Oil and Grease - Soil (056)

ORG-180-5104; modified from BC MOE LAB MANUAL SECTION D (OIL and GREASE IN SOLIDS BY HEXANE EXTRACTION)

GRAVIMETRIC - EXTRACTION

Mineral Oil and Grease

Total Oil and Grease

Solids (Inorganic)

Percent Saturation - Saturated Paste (096)

LAB-181-4022; BC MOE LAB MANUAL SECTION B

GRAVIMETRIC

% Saturation

Solids (Inorganic)

pH - Saturated Paste (094)

LAB-181-4022; BC MOE LAB MANUAL SECTION B

pH METER

pH

Solids (Inorganic)

pH - Soil (011)

INOR-181-6031; BC MOE LAB MANUAL SECTION B (PH, ELECTROMETRIC, SOIL & SEDIMENT-PRESCRIPTIVE)

METER - EXTRACTION

pH (1:2)

Solids (Inorganic)

Phenols - Soil (050)

LAB-181-4013, INOR-181-6014; modified from EPA 9013A and EPA 420.2

AUTO COLOR

Total Phenolics

Solids (Inorganic)

Total Kjeldahl Nitrogen (TKN) - Soil (068)

INOR-181-6034, LAB-181-4017; modified from EPA 351.2

AUTO COLOR

Total Kjeldahl Nitrogen (TKN)

Solids (Inorganic)

Waste Oil - Solids (016)

ORG-180-5120; BC MOE LAB MANUAL SECTION D (WASTE OIL CONTENT IN SOLIDS)

GRAVIMETRIC - EXTRACTION

Waste Oil Content

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Solids (Microbiology)

Fecal (Thermotolerant) Coliforms - Solids (070)
MIC-181-7007; SM 9221 E
MULTIPLE TUBE FERMENTATION (MPN)
Fecal Coliforms

Solids (Microbiology)

Salmonella - Solids (069)
MIC-181-7008; SM 9260 B
MULTIPLE TUBE TECHNIQUE (MPN)
Salmonella

Solids (Organic)

BTEX and Volatile Petroleum Hydrocarbons (VPH) and Volatile Hydrocarbons (VH) - Soil (012)
ORG-180-5100; modified from BC MOE LAB MANUAL SECTION D(BTEX, VPH)
GC/MS/FID - HEADSPACE
Benzene
Ethylbenzene
m/p-xylene
Methyl t-butyl ether
o-xylene
Styrene
Toluene
Volatile Hydrocarbons (VH): C6-C10

Solids (Organic)

Extractable Petroleum Hydrocarbons (EPH) - Soil (013)
ORG-180-5101; modified from BC MOE LAB MANUAL D (EPH)
GC/FID - COLD SHAKE EXTRACTION
EPH C10-C19
EPH C19-C32

Solids (Organic)

Glycols - Soil (085)
ORG-180-5136; modified from NON HALOGENATED ORGANICS USING GC/FID, EPA SW-846 MODULE,
METHOD 8015D
GC/FID
Diethylene glycol
Ethylene glycol
Propylene glycol
Tetraethylene glycol
Triethylene glycol

Solids (Organic)

Leachable Polycyclic Aromatic Hydrocarbons (PAH) - Soil (089)
LAB-181-4001; EPA 1311 (LEACH)
GC/MS
1-Methylnaphthalene
2-Methylnaphthalene
Acenaphthene
Acenaphthylene
Anthracene
Benzo(a)anthracene
Benzo(a)pyrene
Benzo(b)fluoranthene
Benzo(q,h,i)perylene
Benzo(k)fluoranthene
Chrysene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Dibenzo(a,h)anthracene
Fluoranthene
Fluorene
Indeno(1,2,3-cd)pyrene
Naphthalene
Perylene
Phenanthrene
Pyrene

Solids (Organic)

Petroleum Hydrocarbons (PHC) - Soil (091)
ORG-180-5137; CCME CWS-PHC-TIER 1 METHOD
GC/FID
F2: C10-C16
F3: C16-C34
F4: C34-C50

Solids (Organic)

Petroleum Hydrocarbons (PHC) - Soil (090)
ORG-180-5100; CCME CWS-PHC TIER 1 METHOD
GC/MS/FID
F1: C6-C10

Solids (Organic)

Polycyclic Aromatic Hydrocarbons (PAH) - Soil (014)
ORG-180-5102; modified from BC MOE LAB MANUAL SECTION D (PAH)
GC/MS - COLD SHAKE EXTRACTION
1-Methylnaphthalene
2-Methylnaphthalene
Acenaphthene
Acenaphthylene
Acridine
Anthracene
Benzo (a) anthracene
Benzo (a) pyrene
Benzo (b) fluoranthene
Benzo (g,h,i) perylene
Benzo (k) fluoranthene
Chrysene
Dibenzo (a,h) anthracene
Fluoranthene
Fluorene
Indeno (1,2,3 - cd) pyrene
Naphthalene
Phenanthrene
Pyrene
Quinoline

Solids (Organic)

Volatile Organic Compounds (VOC) - Soil (015)
ORG-180-5103; modified from BC MOE LAB MANUAL SECTION D (VOC)
GC/MS - PURGE AND TRAP
1,1-Dichloroethane
1,1-dichloroethylene
1,1,1-Trichloroethane
1,1,1,2-Tetrachloroethane
1,1,2-Trichloroethane

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

1,1,2,2-Tetrachloroethane
1,2-dichlorobenzene
1,2-dichloroethane
1,2-Dichloropropane
1,2,4-Trichlorobenzene
1,3-Dichlorobenzene
1,4-dichlorobenzene
Acetone (2-Propanone)
Benzene
Bromodichloromethane
Bromoform
Bromomethane
Carbon Tetrachloride
Chlorobenzene
Chlorodibromomethane
Chloroethane
Chloroform
Chloromethane
cis-1,2-Dichloroethylene
cis-1,3-Dichloropropene
Dichlorodifluoromethane
Dichloromethane
Ethylbenzene
Ethylene Dibromide
m/p-xylene
Methyl Ethyl Ketone
Methyl isobutyl Ketone
Methyl t-butyl ether
n-Hexane
o-xylene
Styrene
Tetrachloroethylene
Toluene
trans-1,2-Dichloroethylene
trans-1,3-Dichloropropene
Trichloroethylene
Trichlorofluoromethane
Vinyl chloride
Volatile Hydrocarbons (VH): C6-C10

Solids (Organic)

Volatile Organic Compounds (VOC) - Soil (088)

LAB-180-5135; EPA 1311 (LEACH)

GC/MS - HEADSPACE

1,1-Dichloroethane
1,1-Dichloroethylene
1,1,1-Trichloroethane
1,1,1,2-Tetrachloroethane
1,1,2-Trichloroethane
1,1,2,2-Tetrachloroethane
1,2-Dichlorobenzene
1,2-Dichloroethane
1,2-Dichloropropane
1,3-Dichlorobenzene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

1,4-Dichlorobenzene
Benzene
Bromodichloromethane
Bromoform
Carbon disulfide
Carbon tetrachloride
Chlorobenzene
Chloroethane
Chloroform
cis-1,2-Dichloroethylene
cis-1,3-Dichloropropene
Dibromochloromethane
Dichloromethane
Ethylbenzene
Ethylene dibromide
m,p-Xylene
Methyl t-butyl ether (MTBE)
o-Xylene
Styrene
Tetrachloroethylene
Toluene
trans-1,2-Dichloroethylene
trans-1,3-Dichloropropene
Trichloroethylene
Trichlorofluoromethane
Vinyl chloride

Tissue (Inorganic)

Metals - Tissue (017)

LAB-181-4007, MET-181-6101; modified from EPA 3050B and EPA 6010C

ICP/OES - DIGESTION

Calcium
Magnesium
Phosphorus
Potassium
Sodium

Tissue (Inorganic)

Metals - Tissue (062)

LAB-181-4007, MET-181-6102; BC MOE LAB MANUAL SECTION C and modified from EPA 6020A

ICP/MS - DIGESTION

Aluminum
Antimony
Arsenic
Barium
Beryllium
Boron
Cadmium
Chromium
Cobalt
Copper
Iron
Lead
Manganese
Molybdenum

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Nickel
Selenium
Silver
Thallium
Vanadium
Zinc

Tissue (Inorganic)

Total Mercury - Tissue (018)

LAB-181-4007, MET-181-6100; modified from EPA 3050B and EPA 7471B

COLD VAPOUR AA - DIGESTION

Mercury

Water (Inorganic)

Acidity - Water (071)

INOR-181-6020; modified from SM 2310 B

TITRIMETRIC

Acidity

Water (Inorganic)

Acidity - Water (084)

INOR-181-6000; modified from SM 2310 B

AUTO TITRIMETRIC

Acidity

Water (Inorganic)

Alkalinity - Water (019)

INOR-181-6000; modified from SM 2320 B

AUTO TITRIMETRIC

Alkalinity (pH 4.5)

Water (Inorganic)

Ammonia - Water (020)

INOR-181-6001; modified from SM 4500-NH3 G

SEGMENTED FLOW

Ammonia

Water (Inorganic)

Anions - Water (021)

INOR-181-6002; modified from SM 4110 B

ION CHROMATOGRAPHY

Bromate

Bromide

Chloride

Fluoride

Nitrate

Nitrite

Sulfate

Water (Inorganic)

Biochemical Oxygen Demand (BOD) - Water (041)

INOR-181-6032; modified from BC MOE LAB MANUAL SECTION D

D.O. METER

BOD (5 day)

CBOD (5 day)

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

Water (Inorganic)

Carbon - Water (022)
INOR-181-6003; modified from SM 5310 B
COMBUSTION - IR
Organic Carbon
Total Carbon

Water (Inorganic)

Chemical Oxygen Demand (COD) - Water (023)
INOR-181-6004; modified from SM 5220 D
SPECTROPHOTOMETRIC
COD

Water (Inorganic)

Chlorophyll A - Water (100)
INOR-181-6025; SM 10200 H
SPECTROPHOTOMETRIC
Chlorophyll a

Water (Inorganic)

Colour - Water (063)
INOR-181-6033; modified from BC MOE LAB MANUAL SECTION B (COLOUR, SINGLE WAVELENGTH)
SPECTROPHOTOMETRIC (UV-VIS)
Apparent Colour
True Colour

Water (Inorganic)

Conductivity - Water (024)
INOR-181-6000; modified from SM 2510 B
CONDUCTIVITY METER
Conductivity (25°C)

Water (Inorganic)

Conductivity - Water (082)
ARD-181-18012; SM 2510 B
CONDUCTIVITY METER
Conductivity (25°C)

Water (Inorganic)

Cyanide - Water (025)
INOR-181-6010; modified from EPA 335.3
FLOW CHEMISTRY
Cyanide (SAD)
Cyanide (WAD)

Water (Inorganic)

Dissolved Mercury - Water (027)
LAB-181-4015, MET-181-6100; modified from EPA 245.7
COLD VAPOUR AA
Mercury

Water (Inorganic)

Dissolved Metals - Water (028)
LAB-181-4015, MET-181-6102; modified from SM 3125 B
ICP/MS
Aluminum
Antimony
Arsenic
Barium
Beryllium

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

Bismuth
Boron
Cadmium
Chromium
Cobalt
Copper
Iron
Lead
Lithium
Manganese
Molybdenum
Nickel
Phosphorus
Selenium
Silver
Strontium
Thallium
Tin
Titanium
Tungsten
Uranium
Vanadium
Zinc
Zirconium

Water (Inorganic)

Dissolved Metals - Water (029)

LAB-181-4015, MET-181-6101; modified from SM 3120 B

ICP/OES

Calcium

Iron

Magnesium

Manganese

Phosphorus

Potassium

Silicon

Sodium

Sulphur

Water (Inorganic)

Hexavalent Chromium - Water (030)

INOR-181-6005; modified from SM 3500-CR B

COLORIMETRIC

Hexavalent Chromium

Water (Inorganic)

Nitrite and Nitrate and Nitrate plus Nitrite - Water (099)

INOR-181-6026; modified from SM 4500-NO3- F and SM 4500-NO2- B

COLORIMETRIC

Nitrate (calculation)

Nitrate plus Nitrite

Nitrite

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Water (Inorganic)

Nitrogen - Water (031)
INOR-181-6006; modified from SM 4500-N
COMBUSTION - IR
Total Dissolved Nitrogen
Total Nitrogen

Water (Inorganic)

Oil and Grease - Water (045)
ORG-180-5132; modified from BC MOE LAB MANUAL SECTION D (OIL and GREASE IN WATER BY HEXANE
EXTRACTION and GRAVIMETRY-PBM)
GRAVIMETRIC - EXTRACTION
Mineral Oil and Grease
Total Oil and Grease

Water (Inorganic)

Oxidation Reduction Potential (ORP) - Water (083)
ARD-181-18013; SM 2580 B
ORP METER
Oxidation Reduction Potential

Water (Inorganic)

pH - Water (032)
INOR-181-6000; modified from SM 4500-H+
pH METER
pH

Water (Inorganic)

pH - Water (081)
ARD-181-18011; SM 4500-H+
pH METER
pH

Water (Inorganic)

Phenols - Water (055)
INOR-181-6014; modified from SM 5530 C and EPA 420.2
AUTO COLOR
Total Phenolics

Water (Inorganic)

Phosphate - Water (066)
INOR-181-6021; modified from SM 4500-P F
AUTO COLOR
Phosphate

Water (Inorganic)

Phosphorus - Water (033)
LAB-181-4015, INOR-181-6011; modified from SM 4500-P B and SM 4500-P F
AUTO COLOR
Total Dissolved Inorganic Phosphorus
Total Dissolved Phosphorus
Total Inorganic Phosphorus
Total Phosphorus

Water (Inorganic)

Reactive Silica - Water (034)
INOR-181-6012; modified from SM 4500-SIO2
AUTO COLOR
Reactive Silica

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Water (Inorganic)

Solids - Water (035)

INOR-181-6007; SM 2540 C and SM 2540 D and SM 2540 E

GRAVIMETRIC

Fixed Solids

Total Dissolved Solids

Total Suspended Solids

Volatile Solids

Volatile Suspended Solids

Water (Inorganic)

Sulphide - Water (101)

INOR-181-6035; modified from SM 4500-S2- D

COLORIMETRIC

Sulphide

Water (Inorganic)

Tannin and Lignin - Water (075)

INOR-181-6018; modified from SM 5550 B

SPECTROPHOTOMETRIC

Tannin and Lignin

Water (Inorganic)

Total Kjeldahl Nitrogen (TKN) - Water (074)

INOR-181-6034, LAB-181-4017; modified from EPA 351.2

AUTO COLOR

Total Kjeldahl Nitrogen

Water (Inorganic)

Total Mercury - Seawater (061)

MET-181-6100; modified from EPA 245.7

COLD VAPOUR AA - DIGESTION

Mercury

Water (Inorganic)

Total Mercury - Water (037)

MET-181-6100; modified from EPA 245.7

COLD VAPOUR AA - DIGESTION

Mercury

Water (Inorganic)

Total Metals - Seawater (057)

LAB-181-4009, MET-181-6102; modified from SM 3125 B

ICP/MS - DIGESTION

Aluminum

Antimony

Arsenic

Barium

Beryllium

Bismuth

Boron

Cadmium

Chromium

Cobalt

Copper

Iron

Lead

Lithium

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Manganese
Molybdenum
Nickel
Selenium
Silver
Strontium
Thallium
Tin
Titanium
Tungsten
Uranium
Vanadium
Zinc
Zirconium

Water (Inorganic)

Total Metals - Water (038)

LAB-181-4009, MET-181-6102; modified from SM 3125 B

ICP/MS

Aluminum
Antimony
Arsenic
Barium
Beryllium
Bismuth
Boron
Cadmium
Chromium
Cobalt
Copper
Iron
Lead
Lithium
Manganese
Molybdenum
Nickel
Phosphorus
Selenium
Silver
Strontium
Thallium
Tin
Titanium
Tungsten
Uranium
Vanadium
Zinc
Zirconium

Water (Inorganic)

Total Metals - Water (039)

LAB-181-4009, MET-181-6101; modified from SM 3120 B

ICP/OES - DIGESTION

Aluminum
Antimony

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Arsenic
Barium
Beryllium
Boron
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Lithium
Magnesium
Manganese
Molybdenum
Nickel
Phosphorus
Potassium
Selenium
Silicon
Silver
Sodium
Strontium
Sulphur
Tin
Titanium
Uranium
Vanadium
Zinc

Water (Inorganic)

Turbidity - Water (040)
INOR-181-6008; BC MOE LAB MANUAL SECTION B
TURBIDIMETRIC
Turbidity

Water (Microbiology)

Coliforms - Water (052)
MIC-181-7004; SM 9223 B
ENZYME SUBSTRATE (MPN)
Escherichia coli (E. coli)
Total Coliforms

Water (Microbiology)

Coliforms - Water (065)
MIC-181-7003; SM 9222 B and SM 9222 G
MEMBRANE FILTRATION (mENDO)
Escherichia coli (E. coli)
Total Coliforms

Water (Microbiology)

Fecal (Thermotolerant) Coliforms - Water (053)
MIC-181-7005; SM 9222 D
MEMBRANE FILTRATION (mFC)
Fecal (Thermotolerant) Coliforms

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Water (Microbiology)

Heterotrophic Plate Count (HPC) - Water (043)
MIC-181-7002; SM 9215 E (IDEXX SIMPLATE)
ENZYME SUBSTRATE
Heterotrophic Plate Count (HPC)

Water (Microbiology)

Heterotrophic Plate Count (HPC) - Water (087)
MIC-181-7012; SM 9215 C
SPREAD PLATE
Heterotrophic Plate Count (HPC)

Water (Organic)

BTEX - Water (044)
ORG-180-5130; modified from EPA 8260C and EPA 5012A
GC/MS - HEADSPACE
Benzene
Ethylbenzene
m/p-xylene
Methyl t-butyl ether
o-xylene
Styrene
Toluene

Water (Organic)

Extractable Petroleum Hydrocarbons (EPH) - Water (064)
ORG-180-5134; modified from BC MOE LAB MANUAL D (EPH)
GC/FID - EXTRACTION
EPH C10-C19
EPH C19-C32

Water (Organic)

Glycols - Water (086)
ORG-180-5136; modified from "NON HALOGENATED ORGANICS USING GC/FID" EPA SW-846 MODULE,
METHOD 8015D
GC/FID
Diethylene glycol
Ethylene glycol
Propylene glycol
Tetraethylene glycol
Triethylene glycol

Water (Organic)

Petroleum Hydrocarbons (PHC) - Water (092)
ORG-180-5130; BC LAB MANUAL and EPA 8260C and EPA 5021A
GC/MS/FID
F1: C6-C10

Water (Organic)

Petroleum Hydrocarbons (PHC) - Water (093)
ORG-180-5134; BC LAB MANUAL
GC/FID
F2: C10-C16
F3: C16-C34
F4: C34-C50

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Water (Organic)

Polycyclic Aromatic Hydrocarbons (PAH) - Water (047)

ORG-180-5133; modified from BC MOE LAB MANUAL SECTION D (PAH IN WATER BY GC/MS-PBH)
GC/MS - EXTRACTION

- 1-Methylnaphthalene
- 2-Methylnaphthalene
- Acenaphthene
- Acenaphthylene
- Acridine
- Anthracene
- Benzo (a) anthracene
- Benzo (a) pyrene
- Benzo (b) fluoranthene
- Benzo (g,h,i) perylene
- Benzo (k) fluoranthene
- Chrysene
- Dibenzo (a,h) anthracene
- Fluoranthene
- Fluorene
- Indeno (1,2,3 - cd) pyrene
- Naphthalene
- Phenanthrene
- Pyrene
- Quinoline

Water (Organic)

Volatile Hydrocarbons (VH) - Water (076)

ORG-180-5130; modified from BC MOE LAB MANUAL SECTION D (VH IN WATER BY GC/FID)
GC/FID - HEADSPACE

Volatile Hydrocarbons (VH): C6-C10

Water (Organic)

Volatile Organic Compounds (VOC) - Water (046)

ORG-180-5131; modified from BC MOE LAB MANUAL SECTION D (VOC IN WATER BY PURGE and TRAP
GC/MS-PBM)

GC/MS - PURGE AND TRAP

- 1,1-Dichloroethane
- 1,1-dichloroethylene
- 1,1,1-Trichloroethane
- 1,1,2-Trichloroethane
- 1,1,2,2-Tetrachloroethane
- 1,2-dichlorobenzene
- 1,2-dichloroethane
- 1,2-Dichloropropane
- 1,2,4-Trichlorobenzene
- 1,3-Dichlorobenzene
- 1,4-dichlorobenzene
- Acetone (2-Propanone)
- Benzene
- Bromodichloromethane
- Bromoform
- Bromomethane
- Carbon Tetrachloride
- Chlorobenzene
- Chlorodibromomethane

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Chloroethane
Chloroform
Chloromethane
cis-1,2-Dichloroethylene
cis-1,3-Dichloropropene
Dichloromethane
Ethylbenzene
Ethylene Dibromide
m/p-xylene
Methyl Ethyl Ketone
Methyl isobutyl Ketone
Methyl t-butyl ether
o-xylene
Styrene
Tetrachloroethylene
Toluene
trans-1,2-Dichloroethylene
trans-1,3-Dichloropropene
Trichloroethylene
Trichlorofluoromethane
Vinyl Chloride
Volatile Hydrocarbons (VH): C6-C10

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html