



# CALA

Canadian Association for  
Laboratory Accreditation Inc.

## CALA Directory of Laboratories

---

**Membership Number:** 3915  
**Laboratory Name:** AGAT Laboratories - Lloydminster  
**Parent Institution:** AGAT Laboratories Ltd.  
**Address:** 5921B 50th Ave. Lloydminster SK S9V 2A4  
**Contact:** Mrs. Marilou Ricketts  
**Phone:** (780) 522-5143; (306) 825-3657  
**Fax:** (780) 462-2490  
**Email:** ricketts@agatlabs.com; jroberts@agatlabs.com; vhill@agatlabs.com;

---

**Standard:** Conforms with requirements of ISO/IEC 17025  
**Clients Served:** All Interested Parties  
**Revised On:** April 21, 2017  
**Valid To:** October 3, 2019

---

### Scope of Accreditation

#### Soil

Chloride - Soil (031)  
INOR-190-6018; SM 4500-CL E  
COLORIMETRIC  
Chloride

#### Soil (Inorganic)

Ammonia - Soil (010)  
INOR-190-6012; modified from SM 4500-NH3 F  
SPECTROPHOTOMETRIC  
Ammonia

#### Soil (Inorganic)

Anions - Soil (001)  
INOR-190-6008, INOR-190-6002; modified from SM 4110 B and MCKEAGUE 3.21  
IC - SATURATED PASTE EXTRACTION  
Chloride  
Fluoride  
Nitrate  
Nitrite  
Sulfate

#### Soil (Inorganic)

Chromium - Soil (029)  
INOR-190-6016; modified from BARTLETT, R.J., JAMES, B.R. (1996), CHROMIUM PP. 683-701  
COLORIMETRIC - DIGESTION  
Chromium

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

**Soil (Inorganic)**

Conductivity - Soil, Sediment (004)

INOR-190-6011, INOR-190-6002; modified from MCKEAGUE 4.13/3.21/4.12

CONDUCTIVITY METER

Conductivity (saturated paste)

**Soil (Inorganic)**

Flashpoint - Soil (009)

ORG-190-5100; modified from ASTM D93-02A

PENSKY MARTENS CLOSED CUP

Flashpoint

**Soil (Inorganic)**

Hot Water Boron - Soil (028)

INOR-190-6009, INOR-190-6014; modified from CARTER, M.R. and GREGORICH E.G. 2008. HOT WATER SOLUBLE BORON

ICP/OES

Boron

**Soil (Inorganic)**

Metals - Soil (030)

INOR-190-6017; modified from SM 3125 B

ICP/MS

Antimony

Arsenic

Barium

Beryllium

Cadmium

Chromium

Cobalt

Copper

Lead

Mercury

Molybdenum

Nickel

Selenium

Silver

Thallium

Tin

Uranium

Vanadium

Zinc

**Soil (Inorganic)**

Particle Size - Soil (006)

INOR-190-6004; modified from SHELDRIK, B.H. and WANG, C, CARTER MO ED. 1993

SIEVE ANALYSIS

Particle Size (75um)

**Soil (Inorganic)**

Particle Size - Soil (022)

INOR-190-6013; modified from SHELDRIK, B.H and WANG, C, CARTER MO ED. 1993

HYDROMETER (2 PT)

% clay

% sand

% silt

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

**Soil (Inorganic)**

Percent Saturation - Soil (002)  
INOR-190-6002; modified from MCKEAGUE 3.21  
GRAVIMETRIC - SATURATED  
Percent Saturation (Saturated Paste)

**Soil (Inorganic)**

pH - Soil/Sediment (007)  
INOR-190-6010, INOR-190-6002; modified from CARTER and GREGORICH, SOIL SAMPLING and METHODS OF ANALYSIS, 2ND ED.  
pH METER  
pH (1:1) Soil: Water  
pH (Saturated Paste)

**Soil (Inorganic)**

Soluble Cations - Soil (013)  
INOR-190-6009, INOR-190-6002; modified from SSMA CHAPTER 15 and SM 3120 B  
ICP/OES - SATURATED PASTE EXTRACTION  
Boron  
Calcium  
Magnesium  
Potassium  
Sodium  
Sulphur

**Soil (Inorganic)**

Specific Gravity - Soil (003)  
INOR-190-6003; modified from BAROID MUD BALANCE, ASTM D 4380, G50, and DRILLING WASTE MANAGEMENT  
MUD BALANCE  
Specific Gravity

**Soil (Organic)**

Petroleum Hydrocarbons (PHC) - Soil (012)  
ORG-190-5103; modified from EPA SW846 METHOD 8260 AND METHOD 5030 C  
GC/MS  
Benzene  
Ethylbenzene  
m/p-xylene  
o-xylene  
Toluene

**Soil (Organic)**

Petroleum Hydrocarbons (PHC) - Soil (014)  
ORG-190-5102; METHOD, CCME CWS PHC TIER 1 METHOD  
GC/FID - EXTRACTION COLD SHAKE  
F2: C10-C16  
F3: C16-C34  
F4: C34-C50

**Soil (Organic)**

Petroleum Hydrocarbons (PHC) - Soil (015)  
ORG-190-5102; CCME CWS-PHC-TIER 1 METHOD  
GRAVIMETRIC - EXTRACTION COLD SHAKE  
F4: Gravimetric

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

**Soil (Organic)**

Petroleum Hydrocarbons (PHC) - Soil (027)  
ORG-190-5103; modified from CCME CWS-PHC TIER 1 METHOD  
GC/FID - PURGE AND TRAP  
F1: C6-C10

**Soil (Organic)**

Total Extractable Hydrocarbons (TEH) - Soil (023)  
ORG-190-5104; modified from AECV92-M2 and G108 and EPA SW-846 CH.4 and BCMOE CSR EPH IN  
SOLIDS BY GC/FID  
GC/FID - EXTRACTION  
EPH (C10-C19)  
EPH (C19-C32)  
SASK (C10-C22)  
SASK (C23-C60)  
TEH (C11-C30)

**Soil (Organic)**

Total Purgeable Hydrocarbons - Soil (025)  
ORG-190-5103; BCMOE VOLATILE HYDROCARBONS IN SOIL  
GC/FID  
TPqH (C5-C10)  
VH: C6-C10

**Solids (Organic)**

Organics - Soil (011)  
ORG-190-5101; IN-HOUSE  
GC/MS - LEACHATE PURGE AND TRAP  
Benzene  
Ethylbenzene  
m/p-xylene  
o-xylene  
Toluene

**Waste (Inorganic)**

Free Liquid - Waste (005)  
INOR-190-6006; modified from EPA SW-846 9095  
PAINT FILTER TEST  
Free Liquid

**Waste (Organic)**

Metals (Leachate) - Waste (008)  
INOR-190-6005, INOR-190-6009; IN-HOUSE  
ICP/OES - EXTRACTION  
Antimony  
Arsenic  
Barium  
Boron  
Cadmium  
Chromium  
Copper  
Iron  
Lead  
Mercury  
Selenium  
Silver  
Thallium  
Uranium

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

Vanadium  
Zinc  
Zirconium

**Water (Inorganic)**

Ammonia - Water (017)  
INOR-190-6012; modified from SM 4500-NH3 F  
SPECTROPHOTOMETRIC  
Ammonia

**Water (Inorganic)**

Anions - Water (016)  
INOR-190-6008; modified from SM 4110 B  
ION CHROMATOGRAPHY  
Chloride  
Fluoride  
Nitrate  
Nitrite  
Sulfate

**Water (Inorganic)**

Soluble Cations - Water (018)  
INOR-190-6009; modified from SM 3120 B  
ICP/OES  
Calcium  
Magnesium  
Potassium  
Sodium

**Water (Organic)**

Petroleum Hydrocarbons (PHC) - Water (019)  
ORG-190-5106; modified from EPA SW846 METHOD 8260 AND METHOD 5030 C  
GC/MS  
Benzene  
Ethylbenzene  
m/p-xylene  
o-xylene  
Toluene

**Water (Organic)**

Petroleum Hydrocarbons (PHC) - Water (020)  
ORG-190-5102; IN-HOUSE modified from CCME CWS PHC TIER 1 METHOD  
GC/FID - EXTRACTION COLD SHAKE  
F2: C10-C16  
F3: C16-C34  
F4: C34-C50

**Water (Organic)**

Total Extractable Hydrocarbons (TEH) - Water (024)  
ORG-190-5105; modified from EPA SW-846 -3510 and AECV92-M2 and BCMOE CSR EPH IN WATER BY  
GC/FID  
GC/FID - EXTRACTION  
EPH (C10-C19)  
EPH (C19-C32)  
SASK (C10-C22)  
SASK (C23-C60)  
TEH (C11-C30)

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

**Water (Organic)**

Total Petroleum Hydrocarbons (TPH) - Water (026)

ORG-190-5106; modified from EPA SW-846 5021 and EPA SW-846 8015B

GC/MS - PURGE AND TRAP

F1: C6-C10

TPgH (C5-C10)

VH (C6-C10)

**Water (Toxicology)**

Microtox - Liquid Phase - Water (021)

TOX-190-19000; modified from EPS 1/RM/24

BIOLUMINESCENCE

Microtox IC50 (15 min)

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)