



CALA

Canadian Association for
Laboratory Accreditation Inc.

CALA Directory of Laboratories

Membership Number: 3915
Laboratory Name: AGAT Laboratories - Lloydminster
Parent Institution: AGAT Laboratories Ltd.
Address: 5921B 50th Ave. Lloydminster SK S9V 2A4
Contact: Mrs. Marilou Ricketts
Phone: (780) 522-5143; (306) 825-3657
Fax: (780) 462-2490
Email: ricketts@agatlabs.com; jroberts@agatlabs.com; vhill@agatlabs.com;

Standard: Conforms with requirements of ISO/IEC 17025
Clients Served: All Interested Parties
Revised On: July 5, 2017
Valid To: October 3, 2019

Scope of Accreditation

Soil

Chloride - Soil (031)
INOR-190-6018; SM 4500-CL- E
COLORIMETRIC
Chloride

Soil (Inorganic)

Ammonia - Soil (010)
INOR-190-6012; modified from SM 4500-NH3 F
SPECTROPHOTOMETRIC
Ammonia

Soil (Inorganic)

Anions - Soil (001)
INOR-190-6008, INOR-190-6002; modified from SM 4110 B and MCKEAGUE 3.21
IC - SATURATED PASTE EXTRACTION
Chloride
Fluoride
Nitrate
Nitrite
Sulfate

Soil (Inorganic)

Chromium - Soil (029)
INOR-190-6016; modified from BARTLETT, R.J., JAMES, B.R. (1996), CHROMIUM PP. 683-701
COLORIMETRIC - DIGESTION
Chromium

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Soil (Inorganic)

Conductivity - Soil, Sediment (004)

INOR-190-6011, INOR-190-6002; modified from MCKEAGUE 4.13/3.21/4.12

CONDUCTIVITY METER

Conductivity (saturated paste)

Soil (Inorganic)

Flashpoint - Soil (009)

ORG-190-5100; modified from ASTM D93-02A

PENSKY MARTENS CLOSED CUP

Flashpoint

Soil (Inorganic)

Hot Water Soluble Boron - Soil (028)

INOR-190-6009, INOR-190-6014; modified from CARTER, M.R. & GREGORICH E.G. 2008. HOT WATER SOLUBLE BORON

ICP/OES

Boron

Soil (Inorganic)

Metals - Soil (030)

INOR-190-6017; modified from SM 3125 B

ICP/MS

Antimony

Arsenic

Barium

Beryllium

Cadmium

Chromium

Cobalt

Copper

Lead

Mercury

Molybdenum

Nickel

Selenium

Silver

Thallium

Tin

Uranium

Vanadium

Zinc

Soil (Inorganic)

Particle Size Analysis (PSA) - Soil (006)

INOR-190-6004; modified from SHELDRIK, B.H. & WANG, C, CARTER MO ED. 1993

SIEVE ANALYSIS

Particle Size (75um)

Soil (Inorganic)

Particle Size Analysis (PSA) - Soil (022)

INOR-190-6013; modified from SHELDRIK, B.H. & WANG, C, CARTER MO ED. 1993

HYDROMETER (2 PT)

% clay

% Sand

% silt

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Soil (Inorganic)

Percent Saturation - Soil (002)
INOR-190-6002; modified from MCKEAGUE 3.21
GRAVIMETRIC - SATURATED
Percent Saturation (Saturated Paste)

Soil (Inorganic)

pH - Soil, Sediment (007)
INOR-190-6010, INOR-190-6002; modified from CARTER & GREGORICH, SOIL SAMPLING & METHODS OF ANALYSIS, 2ND ED.
pH METER
pH (1:1) Soil: Water
pH (Saturated Paste)

Soil (Inorganic)

Soluble Cations - Soil (013)
INOR-190-6009, INOR-190-6002; modified from SSMA CHAPTER 15 and SM 3120 B
ICP/OES - SATURATED PASTE EXTRACTION
Boron
Calcium
Magnesium
Potassium
Sodium
Sulphur

Soil (Inorganic)

Specific Gravity - Soil (003)
INOR-190-6003; modified from BAROID MUD BALANCE, ASTM D 4380, G50, and DRILLING WASTE MANAGEMENT
MUD BALANCE
Specific Gravity

Soil (Organic)

Petroleum Hydrocarbons (PHC) - Soil (012)
ORG-190-5103; modified from EPA SW-846 8260 and METHOD 5030C
GC/MS
Benzene
Ethylbenzene
m/p-xylene
o-xylene
Toluene

Soil (Organic)

Petroleum Hydrocarbons (PHC) - Soil (014)
ORG-190-5102; METHOD, CCME CWS PHC TIER 1 METHOD
GC/FID - EXTRACTION COLD SHAKE
F2: C10-C16
F3: C16-C34
F4: C34-C50

Soil (Organic)

Petroleum Hydrocarbons (PHC) - Soil (015)
ORG-190-5102; CCME CWS-PHC-TIER 1 METHOD
GRAVIMETRIC - EXTRACTION COLD SHAKE
F4: Gravimetric

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

Soil (Organic)

Petroleum Hydrocarbons (PHC) - Soil (027)
ORG-190-5103; modified from CCME CWS-PHC TIER 1 METHOD
GC/FID - PURGE AND TRAP
F1: C6-C10

Soil (Organic)

Total Extractable Hydrocarbons (TEH) - Soil (023)
ORG-190-5104; modified from AECV92-M2 and AECV92-G108 and EPA SW-846 CH.4 and BCMOE CSR EPH
IN SOLIDS BY GC/FID
GC/FID - EXTRACTION
EPH C10-C19
EPH C19-C32
SASK (C10-C22)
SASK (C23-C60)
Total Extractable Hydrocarbons (TEH): C11-C30

Soil (Organic)

Total Purgeable Hydrocarbons (TPH) - Soil (025)
ORG-190-5103; BCMOE VOLATILE HYDROCARBONS IN SOIL
GC/FID
TPqH (C5-C10)
VH: C6-C10

Solids (Organic)

BTEX - Soil (011)
ORG-190-5101; IN-HOUSE
GC/MS - LEACHATE PURGE AND TRAP
Benzene
Ethylbenzene
m,p-Xylene
o-Xylene
Toluene

Waste (Inorganic)

Free Liquid - Waste (005)
INOR-190-6006; modified from EPA SW-846 9095
PAINT FILTER TEST
Free Liquid

Waste (Organic)

Metals - Waste (008)
INOR-190-6005, INOR-190-6009; IN-HOUSE
ICP/OES - EXTRACTION
Antimony
Arsenic
Barium
Boron
Cadmium
Chromium
Copper
Iron
Lead
Mercury
Selenium
Silver
Thallium
Uranium

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Vanadium
Zinc
Zirconium

Water (Inorganic)

Ammonia - Water (017)
INOR-190-6012; modified from SM 4500-NH3 F
SPECTROPHOTOMETRIC
Ammonia

Water (Inorganic)

Anions - Water (016)
INOR-190-6008; modified from SM 4110 B
ION CHROMATOGRAPHY
Chloride
Fluoride
Nitrate
Nitrite
Sulfate

Water (Inorganic)

Soluble Cations - Water (018)
INOR-190-6009; modified from SM 3120 B
ICP/OES
Calcium
Magnesium
Potassium
Sodium

Water (Organic)

Petroleum Hydrocarbons (PHC) - Water (019)
ORG-190-5106; modified from EPA SW-846 8260 and METHOD 5030C
GC/MS
Benzene
Ethylbenzene
m/p-xylene
o-xylene
Toluene

Water (Organic)

Petroleum Hydrocarbons (PHC) - Water (020)
ORG-190-5102; IN-HOUSE modified from CCME CWS PHC TIER 1 METHOD
GC/FID - EXTRACTION COLD SHAKE
F2: C10-C16
F3: C16-C34
F4: C34-C50

Water (Organic)

Total Extractable Hydrocarbons (TEH) - Water (024)
ORG-190-5105; modified from EPA SW-846 -3510 and AECV92-M2 and BCMOE CSR EPH IN WATER BY
GC/FID
GC/FID - EXTRACTION
EPH C10-C19
EPH C19-C32
SASK (C10-C22)
SASK (C23-C60)
Total Extractable Hydrocarbons (TEH): C11-C30

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html

Water (Organic)

Total Petroleum Hydrocarbons (TPH) - Water (026)

ORG-190-5106; modified from EPA SW-846 5021 and EPA SW-846 8015B

GC/MS - PURGE AND TRAP

F1: C6-C10

TPgH (C5-C10)

Volatile Hydrocarbons (VH): C6-C10

Water (Toxicology)

Microtox - Liquid Phase - Water (021)

TOX-190-19000; modified from EPS 1/RM/24

BIOLUMINESCENCE

Microtox IC50 (15 min)

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html