



CALA

Canadian Association for
Laboratory Accreditation Inc.

CALA Directory of Laboratories

Membership Number: 3942
Laboratory Name: EMSL Canada Inc.
Parent Institution: EMSL Analytical Inc.
Address: 2333 18th Avenue NE Unit 48 Calgary AB T2E 8T6
Contact:
Phone:
Fax:
Email:

Standard: Conforms with requirements of ISO/IEC 17025
Clients Served: All Interested Parties
Revised On: October 11, 2016
Valid To: April 6, 2019

Scope of Accreditation

Air (Inorganic)

Asbestos - Air (001)
PCM NIOSH 7400 SOP; NIOSH 7400
PCM FIBRE COUNTING
Asbestos

Air (Mycology)

Fungi - Air (003)
05-TP-0037; ASTM D7391-09
MICROSCOPIC
Fungal Propagule - Genus

Solids (Mycology)

Fungi - Solids (004)
M041; IN-HOUSE
MICROSCOPIC
Fungal Propagule - Genus

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html