



CALA

Canadian Association for
Laboratory Accreditation Inc.

CALA Directory of Laboratories

Membership Number: 3965
Laboratory Name: EMSL Canada Inc.
Parent Institution: EMSL Analytical Inc.
Address: 22 Antares Drive, Suite 102 Ottawa ON K2E 7Z6
Contact:
Phone:
Fax:
Email:

Standard: Conforms with requirements of ISO/IEC 17025
Clients Served:
Revised On: January 31, 2017
Valid To: August 1, 2019

Scope of Accreditation

Air (Inorganic)

Asbestos - Air (001)
ASB-SOP-300 PCM NIOSH 7400; NIOSH 7400
PCM FIBRE COUNTING
Asbestos

Air (Mycology)

Fungi - Air (003)
05-TP-003.7; ASTM D7391-09
MICROSCOPY
Fungal Propagule - genus

Solids (Mycology)

Fungi - Solids (004)
M041; IN-HOUSE
MICROSCOPY
Fungal Propagule - genus

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html