



# CALA

Canadian Association for  
Laboratory Accreditation Inc.

## CALA Directory of Laboratories

---

**Membership Number:** 3990  
**Laboratory Name:** Paracel Laboratories Ltd. (Calgary)  
**Parent Institution:** Paracel Laboratories Ltd.  
**Address:** 1423 45 Avenue NE, Unit F Calgary AB T2E 2P3  
**Contact:** Mr. Alex Enfield  
**Phone:** (403) 776-4443  
**Fax:** (613) 731-9064  
**Email:** aenfield@paracellabs.com

---

**Standard:** Conforms with requirements of ISO/IEC 17025  
**Clients Served:** All Interested Parties  
**Revised On:** July 17, 2017  
**Valid To:** January 27, 2019

---

### Scope of Accreditation

#### Air

Asbestos and Other Fibres - Air (001)  
PM-003; modified from NIOSH 7400  
PCM FIBRE COUNTING  
Asbestos

#### Air

Fungi - Air (002)  
PM-002; modified from ASTM D7391  
MICROSCOPIC  
Fungal Propagule ID - Genus (Air-O-Cell)

#### Paint (Inorganic)

Metals - Paint (038)  
PI-020; modified from EPA 6020 A  
ICP/MS - DIGESTION  
Lead

#### Soil (Inorganic)

Conductivity - Soil (008)  
PI-006; modified from MOE E3138 AND EPA 120.1  
CONDUCTIVITY METER  
Conductivity (saturated paste)

#### Soil (Inorganic)

Hot Water Soluble Boron - Soils (031)  
PI-025; modified from EPA 6020 A  
ICP/MS - HOT WATER EXTRACTION  
Boron (hot water soluble)

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

**Soil (Inorganic)**

Metals - Soils (028)

PI-020; modified from EPA 6020 A

ICP/MS - DIGESTION

Antimony

Arsenic

Barium

Beryllium

Boron

Cadmium

Calcium

Chromium

Cobalt

Copper

Iron

Lead

Magnesium

Manganese

Nickel

Potassium

Selenium

Silver

Sodium

Strontium

Thallium

Tin

Uranium

Vanadium

Zinc

**Soil (Inorganic)**

Particle Size - Soil (019)

PI-036; modified from CARTER METHOD

HYDROMETER

Clay

Sand

Silt

**Soil (Inorganic)**

pH - Soil (020)

PI-010; modified from MOE E3137 AND EPA 150.1

pH METER

pH

**Soil (Organic)**

Petroleum Hydrocarbons (PHC) - Soil (013)

PO-007; CCME PHC TIER 1

GC/FID - EXTRACTION

F2: C10-C16

F3: C16-C34

F4: C34-C50

**Soil (Organic)**

PHC Heavy Oil - Soil (015)

PO-009; CCME PHC TIER 1

GRAVIMETRIC - EXTRACTION

F4: Gravimetric

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

**Soil (Organic)**

Volatile Organic Compounds (VOC) - Soil (024)

PO-001; modified from EPA 8260 C

GC/MS - HEADSPACE

1,1-Dichloroethane  
1,1-Dichloroethylene  
1,1,1-Trichloroethane  
1,1,1,2-Tetrachloroethane  
1,1,2-Trichloroethane  
1,1,2,2-Tetrachloroethane  
1,2-Dichlorobenzene  
1,2-Dichloroethane  
1,2-Dichloropropane  
1,3-Dichlorobenzene  
1,3,5-Trimethylbenzene  
1,4-Dichlorobenzene  
Acetone (2-Propanone)  
Benzene  
Bromodichloromethane  
Bromoform  
Bromomethane  
Carbon Tetrachloride  
Chlorobenzene  
Chlorodibromomethane  
Chloroethane  
Chloroform  
Chloromethane  
cis-1,2-Dichloroethylene  
cis-1,3-Dichloropropene  
Dichlorodifluoromethane  
Dichloromethane  
Ethylbenzene  
Ethylene Dibromide  
Hexane  
m/p-xylene  
Methyl isobutyl ketone  
Methyl t-butyl ether  
o-xylene  
Styrene  
Tetrachloroethylene  
Toluene  
trans-1,2-Dichloroethylene  
trans-1,3-Dichloropropene  
Trichloroethylene  
Trichlorofluoromethane  
Vinyl Chloride

**Soil (Organic)**

Volatile Petroleum Hydrocarbons (VPH) - Soil (011)

PO-006; CCME PHC TIER 1

GC/FID - HEADSPACE

F1: C6-C10

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

**Solids**

Fungi - Solids (003)  
PM-002; modified from ASTM D7391  
MICROSCOPIC  
Fungal Propagule - Genus

**Water (Inorganic)**

Alkalinity - Water (004)  
PI-003; modified from EPA 310.1  
TITRIMETRIC  
Alkalinity (pH 4.5)

**Water (Inorganic)**

Biochemical Oxygen Demand (BOD) - Water (005)  
PI-014; modified from SM 5210 B  
D.O. METER  
BOD (5 day)  
CBOD (5 day)

**Water (Inorganic)**

Chloride - Water (037)  
PI-040; SM 4500-Cl- B  
TITRATION  
Chloride

**Water (Inorganic)**

Chlorine - Water (006)  
PI-005; modified from SM 4500-CL G  
COLORIMETRIC  
Free Chlorine  
Total Chlorine

**Water (Inorganic)**

Colour - Water (026)  
PI-019; modified from HACH 8025  
SPECTROPHOTOMETRIC  
True Colour

**Water (Inorganic)**

Conductivity - Water (009)  
PI-006; modified from SM 2510 B  
CONDUCTIVITY METER  
Conductivity (25°C)

**Water (Inorganic)**

Dissolved and Extractable Metals - Water (029)  
PI-020; modified from EPA 200.8  
ICP/MS  
Aluminum  
Antimony  
Arsenic  
Barium  
Beryllium  
Boron  
Cadmium  
Calcium  
Chromium  
Cobalt  
Copper

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

Iron  
Lead  
Magnesium  
Manganese  
Molybdenum  
Nickel  
Potassium  
Selenium  
Silver  
Sodium  
Thallium  
Tin  
Uranium  
Vanadium  
Zinc

**Water (Inorganic)**

Dissolved Oxygen (DO) - Water (010)  
PI-037; modified from SM 4500-O C  
TITRATION  
Dissolved Oxygen (DO)

**Water (Inorganic)**

Fluoride - Water (034)  
PI-007; modified from EPA 340.2  
ION SELECTIVE ELECTRODE  
Fluoride

**Water (Inorganic)**

Hexavalent Chromium - Water (007)  
PI-013; modified from MOE E3056A.1  
COLORIMETRIC  
Hexavalent Chromium

**Water (Inorganic)**

Nitrate & Nitrite Nitrogen - Water (036)  
PI-039; modified from HACH 8171 & 8507  
COLORIMETRIC  
Nitrate  
Nitrate plus Nitrite

**Water (Inorganic)**

pH - Water (021)  
PI-010; modified from EPA 150.1  
pH METER  
pH

**Water (Inorganic)**

Solids - Water (022)  
PI-012; modified from SM 2450 C, D  
GRAVIMETRIC  
Total Dissolved Solids  
Total Suspended Solids

**Water (Inorganic)**

Sulphate - Water (035)  
PI-041; modified from HACH 8051  
TURBIDIMETRIC  
Sulfate

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

**Water (Inorganic)**

Sulphide - Water (023)

PI-001; modified from SM 4500-S2D

COLORIMETRIC (METHYLENE BLUE)

Sulphide

**Water (Inorganic)**

Total Metals - Water (033)

PI-020; modified from EPA 200.8

ICP/MS - DIGESTION

Aluminum

Antimony

Arsenic

Barium

Beryllium

Boron

Cadmium

Calcium

Chromium

Cobalt

Copper

Iron

Lead

Magnesium

Manganese

Molybdenum

Nickel

Potassium

Selenium

Silver

Sodium

Strontium

Thallium

Tl

Uranium

Vanadium

Zinc

**Water (Inorganic)**

Turbidity - Water (027)

PI-017; modified from SM 2130 B

NEPHELOMETRY

Turbidity

**Water (Microbiology)**

Coliforms - Water (018)

PW-005; modified from HACH 10029

MEMBRANE FILTRATION (mCOLIBLUE)

Background Counts

Escherichia coli (E. coli)

Total Coliforms

**Water (Microbiology)**

Fecal (Thermotolerant) Coliforms - Water (016)

PW-006; modified from SM 9222 D

MEMBRANE FILTRATION (mFC)

Fecal (Thermotolerant) Coliforms

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

**Water (Microbiology)**

Heterotrophic Plate Count (HPC) - Water (017)

PW-007; modified from SM 9215 E

IDEXX (SIMPLATE)

Heterotrophic Plate Count (HPC)

**Water (Organic)**

Petroleum Hydrocarbons (PHC) - Water (014)

PO-007; PREP: modified from MOE E3421 AND QUANT: CCME PHC TIER 1

GC/FID - EXTRACTION

F2: C10-C16

F3: C16-C34

F4: C34-C50

**Water (Organic)**

Volatile Organic Compounds (VOC) - Water (025)

PO-001; modified from EPA 624

GC/MS - HEADSPACE

1,1-Dichloroethane

1,1-Dichloroethylene

1,1,1-Trichloroethane

1,1,1,2-Tetrachloroethane

1,1,2-Trichloroethane

1,1,2,2-Tetrachloroethane

1,2-Dichlorobenzene

1,2-Dichloroethane

1,2-Dichloropropane

1,3-Dichlorobenzene

1,3,5-Trimethylbenzene

1,4-Dichlorobenzene

Acetone (2-Propanone)

Benzene

Bromodichloromethane

Bromoform

Bromomethane

Carbon Tetrachloride

Chlorobenzene

Chlorodibromomethane

Chloroethane

Chloroform

Chloromethane

cis-1,2-Dichloroethylene

cis-1,3-Dichloropropene

Dichlorodifluoromethane

Dichloromethane

Ethylbenzene

Ethylene Dibromide

Hexane

m/p-xylene

Methyl isobutyl ketone

Methyl t-butyl ether

o-xylene

Styrene

Tetrachloroethylene

Toluene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

trans-1,2-Dichloroethylene  
trans-1,3-Dichloropropene  
Trichloroethylene  
Trichlorofluoromethane  
Vinyl Chloride

**Water (Organic)**

Volatile Petroleum Hydrocarbons (VPH) - Water (012)

PO-006; PREP: modified from MOE E3421 AND QUANT: CCME PHC TIER 1  
GC/FID - HEADSPACE

F1: C6-C10

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)