



CALA

Canadian Association for
Laboratory Accreditation Inc.

CALA Directory of Laboratories

Membership Number: 3998
Laboratory Name: EMSL Canada Inc.
Parent Institution: EMSL Analytical, Inc.
Address: 4506 Dawson Street Burnaby BC V5C 4C1
Contact:
Phone:
Fax:
Email:

Standard: Conforms with requirements of ISO/IEC 17025
Clients Served:
Revised On: October 25, 2016
Valid To: November 11, 2018

Scope of Accreditation

Air (Inorganic)

Asbestos - Air (001)
ASB-SOP-300 PCM NIOSH 7400; NIOSH 7400
PCM FIBRE COUNTING
Asbestos

Air (Mycology)

Fungi - Air (002)
05-TP-003.7; ASTM D7391-09
SPORE TRAP
Fungi

Solids (Mycology)

Fungi - Solids (003)
EMSL M041; IN-HOUSE
FUNGI DIRECT EXAM
Fungi

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at http://www.cala.ca/cala_directories.html