



# CALA

Canadian Association for  
Laboratory Accreditation Inc.

## CALA Directory of Laboratories

---

**Membership Number:** 4079  
**Laboratory Name:** Commodity Lab Vancouver Inc.  
**Parent Institution:** Control Union Canada Inc.  
**Address:** 104-173 Forester Street North Vancouver BC V7H 0A6  
**Contact:** Ms. Leonarda van Aken  
**Phone:** (778) 600-0708  
**Fax:** (778) 370-5583  
**Email:** nbrink@clvancouver.com

---

**Standard:** Conforms with requirements of ISO/IEC 17025  
**Clients Served:** All Interested Parties  
**Revised On:** June 12, 2018  
**Valid To:** December 18, 2019

---

### Scope of Accreditation

#### Grain

Falling Number - Tissue [Grain] (002)  
CL002.M003; PERTEN - HAGBERG  
HAGBERG  
Falling number

#### Grain

Moisture - Tissue [Grain] (001)  
CL002.M001; GAFTA METHOD 2:2 (2014)  
GRAVIMETRIC  
Moisture %

#### Grain

Protein - Tissue [Grain] (003)  
CL002.M004; GAFTA METHOD 4:1 (2014)  
TITRIMETRIC - DIGESTION/DISTILLATION  
Protein

#### Hops

Alpha and Beta Acids - Tissue [Hops] (005)  
CL002.M010; ASBC HOPS-6A and HOPS-12  
SPECTROPHOTOMETRIC  
Alpha acid  
Beta acid  
HSI

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

**Hops**

Moisture - Tissue [Hops] (004)

CL002.M008; ASBC HOPS-4C

GRAVIMETRIC

Moisture %

**Hops**

Physical Examination - Tissue [Hops] (007)

CL002.M012; modified from ASBC HOPS-2

VISUAL EXAMINATION

Extraneous Matter

leaves & stalk

seed content

**Hops**

Total Oil - Tissue [Hops] (006)

CL002.M011; ASBC HOPS-13

VOLUMETRIC/DISTILLATION

Total Oil

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)