



# CALA

Canadian Association for  
Laboratory Accreditation Inc.

## CALA Directory of Laboratories

---

**Membership Number:** 4041

**Laboratory Name:** Supra Research and Development

**Parent Institution:**

**Address:** 1088 Discovery way Reichwald Health Sciences Center Kelowna BC V1V 1V7

**Contact:** Mr. Ryan Hayward

**Phone:** (877) 748-4889

**Fax:**

**Email:** ryan@suprand.ca; matt@suprand.ca; rob@suprand.ca

---

**Standard:** Conforms with requirements of ISO/IEC 17025

**Clients Served:** All Interested Parties

**Revised On:** September 12, 2019

**Valid To:** July 25, 2019

---

### Scope of Accreditation

#### Cannabis (Organic)

Pesticides - Cannabis [VOLUNTARILY SUSPENDED 3/14/2019] (004)

L-008-02; modified from EN15662

GC/MS/MS

Bifenazate

Carbaryl

Chlorpyrifos

Cyfluthrin

Cypermethrin

Diazinon

Dichlorvos (DDVP)

Dimethoate

Endosulfan I (a-Endosulfan)

Endosulfan II (b-Endosulfan)

Endosulfan Sulfate

Ethoprophos

Etridiazole

Fenthion

Malathion

Methiocarb

Myclobutanil

Piperonyl butoxide

Pirimicarb

Propoxur (Baygon)

Tetrachlorvinphos

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

## **Cannabis (Organic)**

Residual Solvents - Cannabis [VOLUNTARILY SUSPENDED 3/14/2019] (003)

; USP 467

GC/MS/MS

1,2-Dimethoxyethane  
1,4-Dioxane (p-dioxane)  
2-Hexanone (Methyl butyl ketone, MBK)  
2-Propanol (Isopropyl alcohol)  
Acetone (2-Propanone)  
Acetonitrile  
Chlorobenzene  
Chloroform  
cis-1,2-Dichloroethylene  
Cyclohexane  
Dichloromethane  
Ethanol  
Ethyl acetate  
Ethylbenzene  
Hexane  
Isopropylbenzene (Cumene)  
m-Xylene  
Methanol  
Methylcyclohexane  
N,N-Dimethylacetamide  
N-N-Dimethylformamide  
o-Xylene  
p-Xylene  
Pentane  
Pyridine  
Tetrahydrofuran (THF)  
Tetralin (1,2,3,4-Tetrahydronaphthalene)  
Toluene  
trans-1,2-Dichloroethylene  
Trichloroethylene

## **Fish Oil (Organic)**

Dioxins and Furans (PCDD/PCDF) and Dioxin-Like Polychlorinated Biphenyls (PCB) - Tissue [Fish]

[VOLUNTARILY SUSPENDED 3/14/2019] (001)

L-001; EPA 1613C and EPA 1668C

GC/MS/MS

1,2,3,4,6,7,8-Heptachlorodibenzo-p-dioxin (1,2,3,4,6,7,8-HpCDD)  
1,2,3,4,6,7,8-Heptachlorodibenzofuran (1,2,3,4,6,7,8-HpCDF)  
1,2,3,4,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,4,7,8-HxCDD)  
1,2,3,4,7,8,9-Heptachlorodibenzofuran (1,2,3,4,7,8,9-HpCDF)  
1,2,3,6,7,8-Hexachlorodibenzo-p-dioxin (1,2,3,6,7,8-HxCDD)  
1,2,3,6,7,8-Hexachlorodibenzofuran (1,2,3,6,7,8-HxCDF)  
1,2,3,7,8-Pentachlorodibenzo-p-dioxin (1,2,3,7,8-PeCDD)  
1,2,3,7,8-Pentachlorodibenzofuran (1,2,3,7,8-PeCDF)  
1,2,3,7,8,9-Hexachlorodibenzo-p-dioxin (1,2,3,7,8,9-HxCDD)  
1,2,3,7,8,9-Hexachlorodibenzofuran (1,2,3,7,8,9-HxCDF)  
2,3,4,6,7,8-HxCDF  
2,3,4,7,8-PeCDF  
2,3,7,8-Tetrachlorodibenzo-p-dioxin (2,3,7,8-TCDD)  
2,3,7,8-Tetrachlorodibenzofuran (2,3,7,8-TCDF)

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)

Octachlorodibenzo-p-dioxin (OCDD, 1,2,3,4,6,7,8,9-Octachloro dibenzo-p-dioxin)  
Octachlorodibenzofuran (OCDF, 1,2,3,4,6,7,8,9-Octachlorodibenzofuran)  
PCB 105 (2,3,3',4,4'-Pentachlorobiphenyl)  
PCB 114 (2,3,4,4',5-Pentachlorobiphenyl)  
PCB 118 (2,3',4,4',5-Pentachlorobiphenyl)  
PCB 123 (2,3',4,4',5'-Pentachlorobiphenyl)  
PCB 126 (3,3',4,4',5-Pentachlorobiphenyl)  
PCB 156 (2,3,3',4,4',5-Hexachlorobiphenyl)  
PCB 157 (2,3,3',4,4',5'-Hexachlorobiphenyl)  
PCB 167 (2,3',4,4',5,5'-Hexachlorobiphenyl)  
PCB 169 (3,3',4,4',5,5'-Hexachlorobiphenyl)  
PCB 189 (2,3,3',4,4',5,5'-Heptachlorobiphenyl)  
PCB 77 (3,3',4,4'-Tetrachlorobiphenyl)  
PCB 81 (3,4,4',5-Tetrachlorobiphenyl)

#### **Plants (Organic)**

Terpenes - Cannabis (005)

L-013-03; IN-HOUSE

GC/MS/MS

alpha-Humulene

alpha-Pinene

alpha-Terpineol

beta-Caryophyllene

beta-Pinene

Caryophyllene oxide

gamma-Terpinene

Guaiol

Limonene

Linalool

Myrcene

Terpinen-4-ol

Terpinolene

† "OSDWA" indicates the appendix is used for the analysis of Ontario drinking water samples, which is subject to the rules and related regulations under the Ontario "Safe Drinking Water Act" (2002).

The list of tests and measurement capabilities for which a laboratory is accredited can change at any time due to circumstances such as scope extensions, voluntary withdrawal of tests by the laboratory and suspension. Scopes are published by the CALA via the Internet at [http://www.cala.ca/cala\\_directories.html](http://www.cala.ca/cala_directories.html)